



ROYALÉ TOUCHÉ

WOODEN FLOORS

..... PAVIMENTO .....

**Deck  
up**  
*the floors*



ROYALÉ TOUCHÉ

WOODEN FLOORS

..... PAVIMENTO .....

[www.pavimentofloors.com](http://www.pavimentofloors.com)

Mobile: +91 93138 07316

Toll free- 1800 104 4357



#### LLT - Liquid Layer Technology

Patented technology used for energy saving production of highly stable & balanced planks for a lifetime floor solution.



MADE IN GERMANY

Designed for India



#### SYNCHRONISED TEXTURES

The most advanced synchronized textures bringing to life natural wood finishes.



#### ISOWAXX

Patented wax protection process across all joints to prevent swelling of the flooring due to moisture.



#### VARIABLE PLANK

Different plank sizes to create a majestic yet homely effect in every room type.



#### MEGALOC

Adhesive free laying & dismantling system for easy installation & moving whenever required.



#### V GROOVE

V Groove effect is specially colored to give the entire floor the same feel & look.



#### PRODUCTION

One of the largest manufacturing lines in the world for laminate flooring under one roof.



#### 24HR WATERLOCK TECHNOLOGY



#### ABRASION-RESISTANT

The highest abrasion class available worldwide of AC4 and AC5 for all the floors.



#### NON-FADING

Pigments with UV resistance of 6+ on the blue wool scale, assuring colour fastness for years.

#### Maid - Free

Enjoy our beautiful low maintenance floors.

# When Titans come *Together*

History is created when two titans of industry cross each other's paths, and decide to walk the glory road, together.

A collaborative and creative force of such epic proportions changes the face of the industry, Beckoning a new era. Today we are at the cusp of such a phenomenon... Royale Touche, a pioneer of luxury laminates in India, an icon with over four decades of prolific experience and expertise, joins hands with Classen, Germany one of the world's leading manufacturers of laminate flooring, to create Royale Touche Floors, the most exclusive range of wooden laminate floorings.

---

## Why Royale Touche Floors?

- Synchronised Textures: Gives an excellent aesthetic and natural look to the floors, making it impossible to differentiate between laminate & natural wooden floors.
- Water Lock Technology: Prevents seepage of water from joints into the HDF substrate for 24 hours thus preventing any damage and swelling of the product.
- AC5 Abrasion Rating: Provides the floor with the highest in its class abrasion protection against all normal wear & tear and keeps your floors looking new for years to come.
- Liquid Layer Technology: Provides excellent balance and protection to the underside of the product to prevent warpage and allow for even expansion and contraction of the floors.



**New**  
**SH 855**

**SUMMER OAK - CODE: SH 855**

665 x 133 x 8  
SIZES IN MM

SYNCHRONISED


AC4

**New**

**SH 856**



**MADRID OAK - CODE: SH 856**



665 x 133 x 8  
SIZES IN MM



SYNCHRONISED



AC4



New

SH 857



PRESTIGE OAK - CODE: SH 857

665 x 133 x 8  
SIZES IN MM




SYNCHRONISED



AC4




**RIDGED BRAZILIAN OAK - CODE: 802**



1286 x 194 x 8  
SIZES IN MM



STANDARD




AC4



No V-Groove



**DARK JAPANESE SEN - CODE: 804**



1286 x 194 x 8  
SIZES IN MM



STANDARD



AC4



No V-Groove



New



**ICELAND PINE - CODE: SA-842/SA-1004**



1285 x 158 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

**New**



**RECLAIMED MANOR WOOD – CODE: SA-843/S-1201**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

New



**VEVORIAN SMOKED WOOD - CODE: SA-845/S-1205**



1285 x 158 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

New



**DARWIN BLACK - CODE: 805**



1286 x 194 x 8  
SIZES IN MM



STANDERD



AC4




No V-Groove

New




**AFRICAN PADAUK - CODE: SA-839**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

New



**HINOKI CYPRESS - CODE: SA-840**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC5



4 side V-Groove

New



**MOUNTAIN HEMLOCK – CODE: SA-841**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED




AC5



4 side V-Groove



**MONUMENT OAK - CODE: 831**



1286 x 194 x 8  
SIZES IN MM



STANDARD



AC4



4 side V-Groove





**BENNET OAK - CODE: 832 A**



1286 x 194 x 8  
SIZES IN MM



STANDARD




AC4



4 side V-Groove



**ANTIC OAK BRAUN - CODE: 833**



1286 x 194 x 8  
SIZES IN MM



STANDARD




AC4



4 side V-Groove



**TAIGA BLACK - CODE: S-837**



1286 x 160 x 8  
SIZES IN MM



SYNCHRONISED



AC4




4 side V-Groove

New




**SMOKED KNOTTY PINE - CODE: L 846**



1285 x 192 x 8  
SIZES IN MM



STANDARD



AC4



4 side V-Groove

**New**



**EXOTIC BEACHWOOD - CODE: L 847**



1285 x 192 x 8  
SIZES IN MM



STANDARD



AC4




4 side V-Groove

New



**MOROCCAN HARDWOOD - CODE: SAL-848**



1285 x 158 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

New




**MEDITERRANEAN WALNUT - CODE: S-849**



1286 x 160 x 8  
SIZES IN MM



SYNCHRONISED



AC4




4 side V-Groove

New



**ABERT OAK - CODE: SA-844/S-1202**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove



**New**



**STAINED EUCALYPTUS – CODE: S-851**



1286 x 160 x 8  
SIZES IN MM



SYNCHRONISED



AC4




4 side V-Groove

New



**MORDIC MAPLE - CODE: SL-852**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC4




4 side V-Groove

**New**



**CUBANA OAK - CODE: SA-853**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED



AC5




4 side V-Groove

New



**CUBANA STAINED OAK - CODE: SA-854**



1285 x 192 x 8  
SIZES IN MM



SYNCHRONISED




AC5



4 side V-Groove




**SMOKED MANOR WOOD - CODE: S-1203**



1286 x 194 x 12  
SIZES IN MM



SYNCHRONISED




AC4



4 side V-Groove



**RECLAIMED COUNTRY OAK - CODE: S-1204**



1286 x 160 x 12  
SIZES IN MM




SYNCHRONISED




AC4



4 side V-Groove



**EUROPEAN WALNUT - CODE: SA-1206**



1286 x 160 x 12  
SIZES IN MM



SYNCHRONISED



AC5








4 side V-Groove













**BODEGA OAK GRAPHITE - CODE: SA-1005**

 ML | 
  1286 x 160 x 10  
SIZES IN MM | 
  SYNCHRONISED | 
  AC5 | 
  4 side V-Groove


## TECHNICAL PARAMETERS

Characteristics	Test Method	Requirements
<b>General Requirements</b>		
Squareness	EN 13329	≤ 0.20 mm
Straightness	EN 13329	≤ 0.30 mm
Flatness of the elements	EN 13329	<b>Width:</b> concave ≤ 0.15% convex ≤ 0.20 % <b>Length:</b> concave ≤ 0.50 % convex ≤ 1.00 %
Openings	EN 13329	∅ ≤ 0.15 mm / max. ≤ 0.20 mm
Height difference	EN 13329	≤ 0.10 mm / max. ≤ 0.15 mm
Residual indentation 	EN ISO 24343-1	≤ 0.05 mm
Light fastness 	EN 20105-A02	grey scale level ≥ 4
<b>Essential Characteristics</b>		
Reaction to fire* 	EN ISO 11925-2 EN ISO 9239-1	Cfl - S1
Slip resistance* 	EN 13893	DS
Formaldehyde* 	EN 717-1	E1

Characteristics	Test Method	Requirements
<b>Classification Requirements</b>		
Castor chair resistance 	EN 425	no damage with type W after 25000 cycles
Locking strength 	ISO 24334	F10.2 ≤ 1.0 kN/m Fs0.2 ≤ 2.0 kN/m
Movement of a furniture leg 	EN 424	no damage with type 0
Resistance to staining 	EN 438	5 (group 1 and 2), 4 (group 3)
Surface soundness	EN 311	≥ 1.25 N/mm <sup>2</sup>
Wear resistance (AC4) 	EN13329	IP ≥ 4000 cycles
Wear resistance (AC5) 	EN13329	IP ≥ 6000 cycles
Impact resistance (AC4) 	EN13329	small-diameter ball ≥ 12N, large- diameter ball ≥ 750 mm
Impact resistance (AC5) 	EN13329	small-diameter ball ≥ 15N, large- diameter ball ≥ 1000 mm
Thickness swelling (AC4) 	EN13329	≥ 18%
Thickness swelling (AC5) 	EN13329	≥ 15%



# Page Reference





**ROYALÉ TOUCHÉ**  
— WOODEN FLOORS —  
— PAVIMENTO —

CODE	PAGE NO	CODE	PAGE NO	CODE	PAGE NO
<b>802</b>	10	<b>SA 843</b>	11	<b>SH 855</b>	04
<b>804</b>	10	<b>SA 844</b>	17	<b>SH 856</b>	07
<b>805</b>	12	<b>SA 845</b>	12	<b>SH 857</b>	09
<b>831</b>	14	<b>L 846</b>	15	<b>SA 1004</b>	10
<b>832A</b>	14	<b>L 847</b>	16	<b>SA 1005</b>	22
<b>833</b>	15	<b>SAL 848</b>	16	<b>S 1201</b>	01
<b>S 837</b>	15	<b>S 849</b>	17	<b>S 1202</b>	17
<b>SA 839</b>	13	<b>S 851</b>	18	<b>S 1203</b>	20
<b>SA 840</b>	13	<b>SL 852</b>	18	<b>S 1204</b>	21
<b>SA 841</b>	14	<b>SA 853</b>	19	<b>SA 1206</b>	21
<b>SA 842</b>	10	<b>SA 854</b>	19		

## INSTALLATION & MAINTENANCE

### INSTALLATION

### PRE-INSTALLATION PREPARATION



### CLEANING & MAINTENANCE

