

### ASIAN GRANITO INDIA LTD.

Regd. & Corp. Office

202, Dev Arc, Opp. Iskcon Temple, S.G. Highway, Ahmedabad - 380 015, Gujarat, INDIA.

Phone: +91 79 66125500/698 | Fax : +91 79 66125600/66058672 CIN: L17110GJ1995PLC027025

E-mail: infomarble@aglasiangranito.com | Web: www.aglasiangranito.com

1800 123 3455









**OUR BEST PRODUCTS** TILES | ENGINEERED MARBLE | QUARTZ STONE | BATHWARE

**Asian Granito India Ltd.** 

























3100x1400mm | 3025x1225mm
































### Technology and setup

Pioneer in Bringing Latest technology for manufacturing Engineered Marble & Quartz in india

AGL Marble & Quartz Plant is fully equipped with Avant Garde ultra modern Vibrocompression compaction technology. This plant produce consistent products with great quality that matches international standards and remains durable for long term. AGL Marble & Quartz is polished with 64 head advance polishing technology that enhances natural beauty of engineered marble & quartz surface with full of shine and ready to install.



Ultra Modern Vacuum Vibro-Compression Compaction Technology



Latest Polishing Technology



Perfect cutting through 7 Modern Gangshaws



Q.C. Check

### Ultramodern R&D and QC Lab

At, AGL, each plants has well established research and development laboratory fully equipped with latest testing equipments to maintain quality standards. AGL R&D laboratory has well experience team of professionals who regularly check to get best level of quality from material procurement to finish goods, thus since inception, AGL has been continuously performing to give sheer satisfaction to its customer with trendy designs.







### **CERTIFICATION**



















### **Awards and Recognition**

Achievements of trusted and innovative brand in the ceramic industry

> Today, AGL has been performed the best to give excellent product and services across the globe and in result, AGL has been recognized by top media houses like Readers' Digest, The Economic Times and Fortune India. AGL is certified with ISO 9001:2015 and ISO 14001:2015 for its quality management and environmental management system and also products are certified with CE standards.







AGL is now MEGA BRAND Latest Recognition by ARCHITECTURE + DESIGN - 2016

ET INDUSTRY LEADERS 2021







Rising Entrepreneur of the year



























### **Prestigious Projects**

■ AGL Marble and Quartz have been part of many acclaimed projects across India. These list include various categories like Airports, Commercial, Residential, Banks & Financial Institutions and Individual home owners.



























































And Many more...

### Possible Marble Edges

### Type I













1/4" Bevel

Bevel Top &

Bottom



1/2" Bevel

### Type II







6cm Mitre Edge











# STELLAR MARBLE **AND QUARTZ**

Give your space a stellar look with the exquisite Marble and Quartz by AGL. Let the radiance of Marble and Quartz furnish your space into an artistic vision and adds joy to your space. These are available in two sizes of 3100x1400mm and 3025x1225mm which makes them perfectly suitable for all indoor and outdoor spaces giving a spectacular look. Create an extravagant lifestyle with AGL Marble and Quartz and define your abode with superiority and magnificent charm. AGL lets you uplift the environment of your space with its aesthetically enriching designs and unique look.



### APPLICATION















Airports

Residences Offices Public Places



#### **APPLICATION**











Traffic

www.aglasiangranito.com







The exceptional marble collection by AGL is here to give every space a luxurious touch with its grandness. These marbles are available in the size of 3025x1225mm.

### **Available In Size:**



### Features



High durability of surface and lifespan



opportunity to customize




























Re-Polishable Easy Available

Ready to Install No Polishing Require

Economical Saves natural than Natural Marble resources

Wide Range








### AVAILABLE THICKNESS 12 | 16 | 18 mm

### India's Leading Marble & Quartz Brand

### **MARIDIAN** SERIES



ANTIQUE WHITE



CRISTELLO BIANCO



RIGEL BEIGE




MARMO GRES



ARABIAN STONE



NERO MARQUINA



MAGNUM SERIES

ROCK SAND




EMPERADOR BROWN



PERLATO



GIOTTO



GARDENIA



CARARA



ATLANTA








## AVAILABLE THICKNESS 12 116 118 mm

India's Leading
Marble & Quartz
Brand

### **VICTORIAN** SERIES




VEGA FANTACY GREY



CAMELIA



ARIZONA



AMELIA

**VICTORIAN SERIES** 



TRAVENTINO




PEARL VISTA



PERLETO ROYAL



DANTIA



ONYX



FRENCH BROWN







### AVAILABLE THICKNESS 12 | 16 | 18 mm

India's Leading Marble & Quartz Brand

### **CRYSTAL** SERIES



PEARL WHITE




SWISS CARARA



HONEY BRINJAL



ASTONE BEIGE



ULTIMA BEIGE




TROPICAL BROWN



CRYSTAL SERIES

ARISTONE WHITE



BIANCO FUSION



ROMA GRES



CAPUCHINO



PALACE BEIGE







# AVAILABLE THICKNESS | ENGINEERED MARBLE 12116118 3025 X 1225 mm

AVAILABLE THICKNESS
16 | 18 mm

India's Leading
Marble & Quartz
Brand

### **EMPYREAN** SERIES



CONGNIZENTA



ULTRA WHITE




AMAZONA



ALPS WHITE

### **EUROPEAN** SERIES



GLACIER EPITOMA




**MONTAZA** SERIES

BIANCO DINAMITE







SONATA GREY



BIANCO LASA





ORBICO







## AVAILABLE THICKNESS 16 118 mm





TUNDRA GREY













TERIA




JAGUAR




ROYAL STONE



BLACK ROSE



ICED FLOWER











# Quartz

The beautiful Quartz can uplift the ambience with its lavish brilliance. This collection is most suitable for table top and decorative purposes using with sizes of 1400x3100mm.

### **Available In Size:**



### Features















Acid resistance





More Hardness (Moh's Scale) low water absorption



















Easy Available Ready to Install Economical than Granite

Wide Range than Granite

### Application



Furnitures











Step & Riser







## AVAILABLE THICKNESS 15 | 20 mm

### India's Leading Marble & Quartz Brand

### **CRYSTAL** SERIES



BIANCO MAPLE



GRES



COASTA MAPLE



ESSEL BROWN



AZUL



TOSCO FIERO



**CRYSTAL** SERIES



BURGUNDY MAPLE



GRAPHITE



**GREY MAPLE** 



GALAXY







## AVAILABLE THICKNESS 15 | 20 mm

India's Leading
Marble & Quartz
Brand

### **CRYSTAL** SERIES





ROYAL GRIGIO



PICASSO



SELEN BEIGE



SILKEN SERIES

VANILLA



AVALANCHE



BIANCO DESERT





WINTER WHITE









## AVAILABLE THICKNESS 15 | 20 mm

India's Leading
Marble & Quartz
Brand

### **SILKEN** SERIES



COASTA IVORY



COASTA BEIGE



TITON BRISTOL



GINGER TAN



ANTHRACITE



TITON BROWN



MUDPAI



ROYAL STAR



**SPECTRA** SERIES



VENUS





MARINA GREY





OLIVE GREY







## AVAILABLE THICKNESS 15 | 20 mm

India's Leading
Marble & Quartz
Brand













NERO STONA

SHITAKE

ARCTIC WHITE

AFYON GREY













INDIANO

ALMOND












CEMENT **EMPERADORE** 

SANDAL

COSMOPOLITAN





SESAME BLACK





SHADOW GREY

PLATINUM GREY



## QUARTZ 3100 X 1400 mm

## AVAILABLE THICKNESS 15 | 20 mm

India's Leading
Marble & Quartz
Brand







SHADOW WHITE



**CLOUDY GREY** 



PHANTOM




**SWISS** SERIES




SHAMPHER WHITE





PLATINUM BLACK



BLACK PORTORO







AGL ENGINEERED MARBLE (CALCAREOUS BASE)

### **TECHNICAL SPECIFICATION**

TEST SPECIFICATION			RANGE OF AGL MARBLE STONE BOULDER SERIES FINE SERIES	
SPECIFICATION	IESI	MEASUREMENT	BOULDER SERIES	FINE SERIES
Water Absorption	EN 14617 - 1	%	<0.2	<0.2
Thermal Expansion linear coefficient of T.E.	EN 14617 - 11	10 <sup>-6</sup> / c	<15	<15
Surface Hardness	EN 101	Moh's Scale	3 - 4	3 - 4
Density	14617 - 1	gm / cc	>2.45	>2.40
Compressive Strength	14617 - 15	Мра	>100	>100
Flexural Strength / Modulus of rupture	14617 - 2	Мра	10 - 20	20 - 35
Glosssiness	Reflection	%	>70	>70
Chemical Resistance (Resistance to acid)	14617 - 10	C1.C4	C1.C4	C1.C4
Resistance to deep abrasion	EN 102	mm³	150 - 400	150 - 400

### AGL QUARTZ (SILICEOUS BASE)

38

TEST SPECIFICATION	STANDARD OF TEST	STANDARD OF MEASUREMENT	RANGE OF AGL QUARTZ STONE
Water Absorption	EN 14617 - 1	%	<0.1
Thermal Expansion Linear Coefficient Of T.e.	EN 14617 - 11	10⁻⁵ /*c	<30
Surface Hardness	EN 101	Moh's Scale	6 - 7
Density	EN 14617 - 1	gm / cc	>2.30
Compressive Strength	EN 14617 - 15	Мра	170 - 250
Flexural Strength / Module	EN 14617 - 2	Мра	27 - 60
Glosssiness	Reflection	%	>55
Chemical Resistance (Resistance to acid)	EN 14617 - 10	C1.C4	C1.C4
Resistance To Deep Abrasion	EN 102	mm³	100 - 160
Resistance To Fire	DIN 4102		bl
Shock Resistance	ASTM C848		No Scaling
			Levigato 320 = R9
Slippage Resistance	DIN 51130	Joule	Honed 320 = R9
			Geschliffen 320 = R9
Resistance To De-Icing Salts	ASTM C672		120 - 180
Resistance To Rapid Freezing & Thawing	ASTM C666 DIN 52104		Levigato 320 = R9
			Honed 320 = R9
			Geschliffen 320 = R9
Impact Resistance	ASTM C1709		5, + / -2

#### PRODUCT FEATURES / COMPARISON BETWEEN NATURAL STONE AND AGL ENGINEERED MARBLE STONE

FACTORS	MARBLE / NATURAL STONE	AGL MARBLE STONE
Colour Consistency	No	Yes
Porosity	High	Very Low
Hardness	Low	High
Polishing	On Site Polishing	Ready to Use
Cost Of Onsite Polishing	Extra	No Extra Cost
Wastages	High	Low
Pinholes & Cracks	Filling Required	No Filling Required
Uniformity In Quantity Supplied	Constrains Are There	No Constrains Are there
Laying & Completion Time	High	Low
Maintenance	High	Low
Supply Schedule	Non Controllable	As Per Schedule
Size Consistency	No	Yes
Thickness / Size Option	Not Always Available	Always Available

#### Other Features

Resistance to abrasion, shock & flexural strength Dimensional stability that reduces wastage during installation Uniformity in colour that makes it suitable for large application

#### Packing, Size & Thickness Availability Details In Engineered Marble Stone

Sizes in mm Availability	In Sq.Ft. (Appx.)
3025 x 1225 mm	10 x 4
1500 x 1200 mm	5 x 4
1200 x 600 mm	4 x 2
600 x 600 mm	2 x 2
600 x 300 mm	2 x 1

Customized sizes on bulk requirements

#### Packing, Size & Thickness Availability Details In Quartz Stone

Sizes in mm Availability	In Sq.Ft. (Appx.)
3100 x 1400 mm	10.2 x 4.6

Customized sizes on bulk requirements

### Thickness in mm availabilty

12mm | 15/16mm | 18mm In Engineered Marble Stone 15mm | 20mm in Quartz Stone

Wooden palleting only based on thickness / size. Customized packing in corrugated boxes in 12mm can also be povided.

Note: Due to printing process, the colour of the actual products may differ from the picture. For true colour matching purposes refer the sample

### CORPORATE OFFICE & BRANCHES

India's Leadina Marble & Quartz Brand









#### GUIARAT

#### ASIAN GRANITO INDIA LTD. Corp. Office:

202, Dev Arc, Opp. Iskcon Temple, S. G. Highway, Ahmedabad - 380 015 Gujarat (INDIA) Phone: +91 79 66125500/698

Toll Free: 1800 123 3455 E-mail: info@aglasiangranito.com

#### AGL Luxury Tile Arcade - Ahmedabad (Display Centre)

S.G. Highway, Nr. Gota Cross Road, Beside Gota over bridge, Ahmedabad - 382481 Phone: 079 - 66125700/01 Mobile: 98258 03713

### AGL Experience centre - Himmatnagar

C/o. Amazoone Ceramics Ltd. Nr. IOC Petrol Pump, Himmatnagar To -Ahmedabad National Highway Dalpur, Ta - Prantii Mobile: 90999 04706

#### AGL Office - Morbi

B - 26. Parshwanath Complex-1 Opp. kuber Cinema, 8-A National Highway Lalpar Road Morbi (Gujarat)

### AGL Export House - Morbi

Ch-5. Eden Ceramic City. Opp. Honest Hotel National Highway, Lalpar Road Morbi - 363642. Mobile: 99799 90591

### RAJASTHAN

AGL Office - Jaipur Lower Ground

D-5, Vaishali Nagar Jaipur, Rajasthan - 302021 Mobile : 88240 74454

MAHARASHTRA

#### AGL Display Centre - Mumbai A- 402, Citi Point, Nr. kohinoor Hotel Opp. ICICI Bank, J.B. Nagar, Andheri (East), Mumbai - 400 059. Phone: 022-32942757 / 58 Mohile: 93214 95229

#### AGL Display Center - Pune Plot No.5, Gultekdi, Industrial Estate, Opp. Maharashtra Mandal, Pune - 411037

### Mobile: 93717 65505 MADHYA PRADESH

### AGL Office - Indore

401, Satguru Parinay, Nr. Pakiza Showroom, In Front Of C-21 Mall. A. B. Road, Vijay Nagar, Indore - 452001 Mobile: 073140 06670

#### KARNATAKA

#### AGL Display Centre - Bangalore Brahmananda Court, No.37/17/& 37/18, Nr. ICIC Bank, Lalbagh Road, Bangalore - 560027 Mobile: 77609 66442

#### TAMIL NADU

#### AGL Office - Trichy Mark Diamond Residency No-36 V O C Road, cantonment, Trichy - 620001

Mobile: 91764 66625

AGL Office - Coimbatore No .70, Dr. Alagappa Road, Tatabad. Coimbatore - 641 012 Mobile: 95000 15083

### ANDRA PRADESH

AGL Display Centre - Hyderabad # 8-2-293/82.Plot No. 39, Road No. 5, Jubileehills ,Hyderabad.-500033. Land Mark, Near Venkatagiri Bustop. (Dominos Pizza) Metro Piller No: 3 Hyderabad-500033 Mobile: 96420 11146

#### KERALA

### AGL Display Centre - Kochin

No.51/2910 D2 Adjacent To Bread World, Thykoodam Bridge Service Road, Vvttila Kochin - 682019 Mobile: 80866 61920

#### WEST BENGAL

#### AGL Display Centre - Kolkata 5th Floor, Office No, 5A, PS SOLARIS Building, 113/H, Opp. Flaming Hospital. Matheswartala Road. Topsia Kolkata 7000046

Mobile: 85840 65565

### ODISHA

### AGL Office - Odisha

Plot No-83/c. Jayadurga Nagar Bomikhal, Bomikhal, Cuttack-Puri Road Bhubaneswar-751006 Mobile: 8249350324 / 9338353733

#### DELHI

### AGL Display Centre - Delhi

WZ - 92 C, Raja Gardan, Ring Road. Opp. West Gate Mall, Near Rajouri Gardan Metro Station New Delhi - 110015 Mobile: 8511130500

### PUNJAB AGL Office - Chandigarh

CCC Chandighar City Center Block A 3rd Floor Soho 325 Vin Road, Near Metro Ziraknur Chandigarh Punjab-140603 Phone: 0176-2526420

39

■ Office only Display Centre & Office

DISCLAIMER: Asian Granito India Ltd. reserves the right to delete & amend either totally or partially, any of the colors, shapes, sizes, references and other technical specifications contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors. All complaints need to be reported within 10 days of purchase. Always follow

instructions to avoid complaint due to bad masonry.