




HIGH GLOSS Series



NOT JUST FOR **SURFACE**

800 X 3000 MM

 **15 mm** Thickness



DEFINE
THE
LUXURY

DESIGN
BEYOND
IMAGINATION

EXPLORE
POSSIB
ILITIES

IB : ZA®
LUXURY SURFACE

Headquartered in morbi, wankaner (gujarat), the 'mecca' of tile manufacturing in india, ibiza's sprawling plant in morbi is outfitted with state-of-the-art imported italian machinery and precision equipment.architects know that size makes all the difference. You can get a seamless look and feel in your interiors or exteriors – kitchen and bathroom counter, washbasins, swings or sliding doors – with porcelain tiles designed for floors and walls in large 80x300cm slabs.

*Size Beyond
Imagination*

BEYOND THE SURFACE

The places we live in constantly remind us of who we are, what we love, and why. Every surface is a continuous reminder of stories, memories, gestures, gatherings and inspirations, to touch, see and feel. **IBIZA**[®] creates resistant, compact, unalterable, precious and versatile surfaces that are as pure as the truest, deepest and most authentic materials or components.

IBIZA[®] perfectly reproduces the excellence and richness of colors and textures, along with the veining and shading of marble, natural stone and the most innovative designer materials, to create alluring atmospheres & environments.

A unique, seamless material that remains unchanged over time, suitable for residential and restaurants spaces and ideal for kitchen surfaces that require optimum hygiene, durability and aesthetic harmony. Offering superb freedom to mix and match, **IBIZA**[®] surfaces create Habitats with unique style and elegance.





*Splendid
Simplicity*

**PERFECT
SIZE
GREAT IN
BEAUTY**

The technical performance of **HIGH GLOSS** stoneware plus the most sophisticated design come together in these large-size slabs, creating a seamless and harmonious perception of surfaces and spaces

The wide choice of sizes and thicknesses allows coordinated use in projects ranging from residential spaces: kitchen, restaurants, and hotels.

The 800x3000mm is rectified, has a multi pattern and is intended for creating furnishing elements for indoor spaces such as countertops, kitchen tops, Vanity Tops, Tables, Furnitures & Stairs for shades, and integrated washbasins.

800 X 3000 MM
15 mm
THICKNESS



High PERFORMANCE

Hygienic
& sustainable
Surface

Scratch proof
Surface

Resistant to mould,
Mildew, and fungus

Heat
Resistance



Frost Proof
Surface

Easy to
Clean


Resistant to
chemicals, acids,
bases, and solvents

High Durability
Ultimate Strength








Squared ridge at 45°





Rounded ridge at 45°



Straight squared ridge





Rounded straight ridge




Double straight squared ridge



Double straight rounded ridge




L-shaped squared ridge



L-shaped rounded ridge

EDGE PROFILE

Due to their throughout-body features, **IBIZA®** slabs can be machined on the edges with different finishes, which makes them ideal for the creation of new furniture and design solutions for kitchens. Rounded or with 45° bevelled edges, furnishings seemingly fashioned from a single block can be created by fitting two slabs together with a mitre joint. Edge machining is usually done with tools and machines commonly used in natural stone and glass working, such as diamond disks or the most advanced numerically controlled machines. The same machining is used in the design of bathroom washbasins and kitchen sinks, for either undermount versions, with squared and bevelled edges bisellati, models fitted flush with the top, or overmount versions with chamfered edges.



PLAIN WHITE
WHITE
High Gloss
800x3000 mm

15 mm Thickness




STATUARIO MACCHIA
WHITE
High Gloss
800x3000 mm



STATUARIO PEARL
WHITE
High Gloss
800x3000 mm

15 mm Thickness



STATUARIO WHITE
WHITE
High Gloss
800x3000 mm



Table Top : Invisible
Size : 800x3000mm / Finish : High Gloss



CALACUTTA
WHITE
High Gloss
800x3000 mm



INVISIBLE
WHITE
High Gloss
800x3000 mm



BIANCO LASA
WHITE
High Gloss
800x3000 mm



ONYX BIANCO
WHITE
High Gloss
800x3000 mm




Table Top & Floor : Onyx Bianco
Size : 800x3000mm / Finish : High Gloss



STATUARIO SUPER
WHITE
High Gloss
800x3000 mm



ROME
WHITE
High Gloss
800x3000 mm



CARRARA VENATO
WHITE
High Gloss
800x3000 mm



CARRARA ULTIMO
WHITE
High Gloss
800x3000 mm



NAVONA BIANCO
WHITE
High Gloss
800x3000 mm



IMPERIAL BIANCO
WHITE
High Gloss
800x3000 mm



CALCATTÀ BORGHINI
WHITE
High Gloss
800x3000 mm



CALACATTA LUXE
WHITE
High Gloss
800x3000 mm



STATUARIO GOLD
WHITE
High Gloss
800x3000 mm




PATAGONIA
GREY
High Gloss
800x3000 mm

15 mm Thickness



BRAZILLIAN
WHITE
High Gloss
800x3000 mm

15 mm Thickness



GRAPHITE ONYX
GREY
High Gloss
800x3000 mm




Wash Basin : Marquinia Fulmine | Wall : Agate Blue
Size : 800x3000mm / Finish : High Gloss



AGATE BLUE
BLUE
High Gloss
800x3000 mm

15 mm Thickness



MARQUINIA FULMINE
BLACK
High Gloss
800x3000 mm



NOIR DESIRE
BLACK
High Gloss
800x3000 mm

15 mm Thickness




PLAIN BLACK
BLACK
High Gloss
800x3000 mm



SAHARA NOIR
BLACK
High Gloss
800x3000 mm

15 mm Thickness




EMARLD QUARTZ
BROWN
High Gloss
800x3000 mm




PERSIAN BLUE
BLUE
High Gloss
800x3000 mm

15 mm Thickness



PORTORO GOLD
BLACK
High Gloss
800x3000 mm




COSMIC BLACK
BLACK
High Gloss
800x3000 mm

15 mm Thickness



MAGMA GOLD
BLACK
High Gloss
800x3000 mm



PORTORO BRONZE
BLACK
High Gloss
800x3000 mm

15 mm Thickness



SAINT LAURENT
BLACK
High Gloss
800x3000 mm



Table Top : Armani Brown
Size : 800x3000mm / Finish : High Gloss



ARMANI BROWN
BROWN
High Gloss
800x3000 mm



ARMANI GREY
GREY
High Gloss
800x3000 mm

15 mm Thickness



FRENCH BROWN
BROWN
High Gloss
800x3000 mm



FRENCH GREY
GREY
High Gloss
800x3000 mm

15 mm Thickness



Table Top & Wall : French Grey
Size : 800x3000mm / Finish : High Gloss



Table Top & Wall : Magistic Grigio
Size : 800x3000mm / Finish : High Gloss



MAGISTIC GRIGIO
GREY
High Gloss
800x3000 mm



PIETRA GREY
GREY
High Gloss
800x3000 mm

15 mm Thickness



RIVIERA GREY
GREY
High Gloss
800x3000 mm



VERSACE GOLD
BROWN
High Gloss
800x3000 mm

15 mm Thickness



CLEANING TIPS

TYPE OF DIRT		DETERGENT/SOLVENT	APPLICATION
		FILA	FILA
		FABER	FABER
GREASE	Degreasing detergent	PS87 PRO	Damp cloth
		Deep Degreaser	White pad
COFFEE	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
WINE	Degreasing detergent	PS87 PRO o SR95	Damp cloth
		Coloured Stain Remover	Direct application
BEER	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
FRUIT JUICE	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
COCA COLA	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
INK	Degreasing detergent	PS87 PRO o SR95	Damp cloth
		Coloured Stain Remover	Direct application
VOMIT	Degreasing detergent	PS87 PRO	Damp cloth
		Tile Cleaner	White pad
ICE CREAM	Degreasing detergent	PS87 PRO	Damp cloth
		Deep Degreaser	White pad
FELT TIP PEN	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
BLOOD	Degreasing detergent	PS87 PRO	Damp cloth
		Coloured Stain Remover	Direct application
RUBBER	Degreasing detergent	PS87 PRO	Damp anti-scratch Scotch Brite
		Solvent Stripper	White pad

TYPE OF DIRT		DETERGENT/SOLVENT	APPLICATION
		FILA	FILA
		FABER	FABER
SUCTION CUPS	Degreasing detergent	PS87 PRO	Melamine Sponge
		Epoxy Cleaner	Melamine Sponge
RUST	Detergent for rust removal	NORUST	Damp anti-scratch Scotch Brite
		Cement Remover	White pad
SILICONE	Detergent for silicone removal	ZEROSIL	Damp anti-scratch Scotch Brite
		Epoxy Cleaner	White pad
WAXES AND RESINS	Solvent	SOLV o ZEROSIL	Damp anti-scratch Scotch Brite
		Wax Remover	White pad
ALUMINUM MARKS	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Tile Cleaner	White pad
PENCIL MARKS	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Tile Cleaner	White pad
LIMESCALE	Descaling detergent	DETERDEK PRO	Damp anti-scratch Scotch Brite
		Cement Remover	

Technical Specification

CHARACTERISTIC	STANDARD AS PER ISO13006:2018/ EN14411 Gr.BIa	MEAN VALUE OF IBIZA	TEST METHOD
Regulatory Properties			
Deviation in Length and Width	± 0.30 % (±1.00mm)	± 0.10 %	ISO 10545-2
Deviation in Thickness	± 5.00 % (±0.50mm)	± 5.00 %	ISO 10545-2
Straightness in Side	± 0.30 % (±0.80mm)	± 0.10 %	ISO 10545-2
Rectangularity	± 0.30 % (±1.50mm)	± 0.10%	ISO 10545-2
Surface Flatness Central Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Edge Curvature	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Flatness Warpage	± 0.40 % (±1.80mm)	± 0.50 %	ISO 10545-2
Surface Quality	> 95% defects free	> 95% defects free	ISO 10545-2
Small Color Difference(for Plain Colour)	ΔE < 1.00	ΔE < 0.30	ISO 10545-16
Glossiness (Polished)	as per mfg.	Gloss Value> 90	Gloss Meter 60°
Glossiness (Matt)	as per mfg.	3 <Gloss Value<7	Gloss Meter 60°
Glossiness (Satin/Posh)	as per mfg.	7<Gloss Value<18	Gloss Meter 60°
Structural Properties			
Water absorption	≤ 0.50 %	≤ 0.060 %	ISO 10545-3
Bulk density	as per mfg.	Min. 2.28 g/cc	ISO 10545-3
Massive Mechanical Properties			
Modulus of rupture	Min. 35.0 N/mm ²	Min. 42.0 N/mm ²	ISO 10545-4
Breaking strength thickness <7.5	Min. 700.0 N	Min. 1000.0 N	ISO 10545-4
Breaking strength thickness ≥7.5	Min. 1300.0 N	Min. 1800.0 N	ISO 10545-4
Breaking strength thickness ≥7.5(15mm)	Min. 1300.0 N	Min. 7500.0 N	ISO 10545-4
Surface Mechanical Properties			
MOH'S hardness #	as per mfg.	Glossy Min. 4*/ Min. 6	BS EN 15771
Surface abrasion resistance #	as per mfg.	Glossy Min. 2/ Min. 3	ISO 10545-7
Deep abrasion resistance #	Max. 175mm ³	Max. 132mm ³	ISO 10545-6
Thermal Hydrometric Properties			
Moisture expansion	Max. 0.06%(0.6mm/m)	Max. 0.02mm/m	ISO 10545-10
Thermal expansion(COE) at 100°C	as per mfg.	Max. 6.0 x 10 ⁻⁶	ISO 10545-8
Thermal shock resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Impact resistance(COR) #	Min. 0.55	Min. 0.55	ISO 10545-5
Frost resistance	as per mfg.	Frost Proof	ISO 10545-12
Chemical Properties			
Resistance to staining glazed	Min. Class 3	Min. Class 4	ISO 10545-14
Resistance to household chemicals & swimming pool salts glazed	Min. Class GB	Min. Class GA	ISO 10545-13
Resistance to low concentrate acid and alkalis glazed	as per mfg.	Min. Class GLB**	ISO 10545-13
Resistance to high concentrate acid and alkalis glazed	as per mfg.	Min. Class GHB**	ISO 10545-13
Safety Properties			
Skid resistance(DCOF-DRY) ##	as per mfg.	Glossy P0(<1 ²) / ≥P1(1 ² -2 ⁴)	BS 7976-2
Slip resistance(DCOF)(R value) ##	as per mfg.	R9	DIN 51130
Fire resistance	as per mfg.	Fire Proof	N.A.

** Except Hydrofluoric Acid & it's compound

Tiles Intended for use on floor

As per customer requirement

PACKING DETAIL

SIZE	THICKNESS	NO. OF SLAB/BOX	WEIGHT/BOX	COVERAGE AREA
800x3000 mm	15 mm	1 Pcs.	87 KG _(approx)	25.83 Sq. ft.



IBIZA
LUXURY SURFACE

IBIZA TILES LLP

Survey No. 158, 8A N.H., At. bhayati Jambudiya,
Ta. Wakaner - Morbi - 363621 (Guj.) INDIA.
Toll Free No.: 1800 212 5929

info@ibizaslabs.com
www.ibizaslabs.com