

SEASON 4





THE JOURNEY

COUNTINUE

Zurich is a company known for its exceptional product offerings, which have supremely infinite application potential both in indoor and outdoor settings. Over the years, Zurich has created a special place for itself in the market, with it being the preferred choice of many consumers and influences alike. With a robust team and an able production facility to back it, Zurich has developed a huge range of high-quality decorative acrylic laminates & panels. Its range is entirely manufactured as per the internationally accepted standards of quality.

Zurich has already become a popular entity in the Indian market thanks to its impressive product range. But Zurich has also given ample focus to its growth in the foreign markets as well with a far-reaching export network that promises to change lifestyles and décors globally. Driven by its core principles of excellence and ethics, Zurich is moving forward with a mission to adorn as many décors as possible with its decorative acrylic laminates & panels.

2019

2020

2021

2022

 BENETTI

1.5mm
THICK
SHEET

EXPERIENCE THE LUXURY
BACK PAINTED ACRYL-GLOSS

ABOUT BENETTI

Benetti is an exceptional offering by none other than Zurich for your to Experience The Luxury. This collection of 100% acrylic laminate is the epitome of beauty and flamboyance. With high gloss finish and 6H Anti Scratch layer, the Benetti collection also delivers on functionality and not just on aesthetics.

The Benetti decorative acrylic laminates & panels are available in a wide variety of colors to ensure they can complement almost any décor. On top of that, these marvelous surfaces are manufactured as per international quality standards, which ensures these surfaces last a long time without any of its features diminishing.

So, bring in this exclusive collection high gloss acrylic laminates with antiscratch features to give your space wonderful gift of brilliance.



CLEANING INSTRUCTION AND MAINTENANCE

BENETTI High gloss acrylic laminates comes protected with a high-quality protective film which is only removed at the completion of all installation work. After the protected film is removed, there is still presence of solvent from the adhesive coating of the protective film on the surface of the high gloss acrylic laminate. An electrostatic charge is built-in and attracts dust onto the surface of the panel.

During this time, the acrylic laminate surface also cures out under the influence of normal air humidity. Under normal circumstances, the 'Curing' process will take approximately 72 hours for the surface to be totally cured. In order to speed up the process, We recommend cleaning the high gloss surface with COLIN Glass cleaner and soft Micro Fibre cloth.

WARNING

DO NOT use any of the following cleaning products.

- Alcohol-based cleaners
- Solvent-based cleaners
- Petrol, pinewood or oil based cleaners
- Cloth other than a micro fiber



Shake it well and lightly spray on the surface



Wipe the surface clean using a light circular motion



For exceptional solidity, our 6H Anti Scratch Acrylic Laminates are available in 1.5mm uniform thickness.



Our laminates are specially treated to ensure they remain termite and borer free for several years.



Our Anti Scratch Acrylic Laminates are extremely sturdy and durable. They can withstand heavy loads



For ease of use and effortless installation, our range of laminates have been developed in a way to keep them



Treated with a special coating on the surface, our 6H Anti Scratch Acrylic Laminates are water proof as well



Our range of laminates has effortless and exceptional adhesion properties, which allows it to be used in



TO WATCH APPLICATION
VIDEO SCAN HERE

ZURICH WARRANTY

Due to import product company not get any warranty/Guarantee from supplier, so company can not give any warranty/guarantee also. No complaint will be attend and no claim will be settled. Application errors, weather unstability, low workmanship skill cause **Cracks** and **Air Bubble** In furniture. Low quality chemical used substrate (plywood/mdf) cause **Yellow Patches** inside the sheet. **ZURICH** warranty does not cover them.

For any type of manufacturing defect company were liable to entertain within one year from the date of purchase. after one year company will not attend any type of complaint.

Kindly refer **ZURICH APPLICATION VIDEO**.

FOR ASSURED GENUINE PRODUCTS



In recent times, fake products have created a serious problem across the country. Always buy original ZURICH products. Before buying, please check ZURICH sticker & ensure whether you have bought original ZURICH products.

In case if you have any doubt, please email us on info@zurichlam.in

STRONGLY RECOMMENDED ADHESIVE FOR PRESSING

SCAN HERE TO WATCH COMPLETE VIDEO TO UNDERSTAND THE APPLICATION OF ZURICH'S BENETTI ACRYLIC LAMINATE SHEETS.

ZURICH के बेनेटी एक्रिलिक लेमिनेट्स शीट्स के एप्लीकेशन को समझने के लिए पूरा वीडियो देखने के लिए यहां स्कैन करें।

PLEASE REMOVE PROTECTIVE FILM WITHIN 15 DAYS OF INSTALLATION

LOOKOUT FOR THIS STICKER ON SHEET

RECOMMENDED ADHESIVE FOR PRESSING



HIGH STRENGTH BOND

NOW AVAILABLE IN : 800 gm. & 4 kg.



6H Anti-scratch SGS certificate

Anti yellow SGS certificate

TEST REPORT

No. : GZIN2004011419PS
Date : Apr 09, 2020
Page: 1 of 4

CUSTOMER NAME: DHARMI ISPAT LLP
ADDRESS: GALA NO.5/8, BLDG NO.2, RAM MANDIR INDUSTRIAL PREMISES, RAM MANDIR ROAD, GOREGAON(EAST) MUMBAI, INDIA.

Sample Name : ACRYLIC SHEET
Product Specification : 1.50MM*1220MM*2440MM
Product or Lot No. : BENETTI-8602
Other Information : BRAND NAME-ZURICH

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Apr 02, 2020
Testing Start Date : Apr 02, 2020
Testing End Date : Apr 09, 2020
Test result(s) : For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for:
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center
Quincey lee
Authorized signatory

TEST REPORT

No. : GZIN2004011419PS
Date : Apr 09, 2020
Page: 3 of 4

Test Item: Pencil Hardness
Sample Description: Plastic panel
Test Method: ASTM D3989-05(2011)⁴
Test Condition:
Test Pencil: Chung Hwa® 6H pencil

| Sample | Scratch hardness |
|--------|---------------------------|
| A | No scratch with 6H pencil |

Note:
1. According to ASTM D3989-05(2011)⁴, 6H is the hardest and 6B is the softest.
2. The protected film was ripped off before test.

Test Photo:

TEST REPORT

No. : GZIN2003007083PS
Date : Mar 23, 2020
Page: 1 of 4

CUSTOMER NAME: DHARMI ISPAT LLP
ADDRESS: GALA NO.5/8, BLDG NO.2, RAM MANDIR INDUSTRIAL PREMISES, RAM MANDIR ROAD, GOREGAON(EAST) MUMBAI, INDIA.

Sample Name : ACRYLIC SHEET
Product Specification : 1.50MM *1220MM *2440MM
Product or Lot No. : BENETTI-8602
Other Information : BRAND NAME - ZURICH

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

Date of Receipt : Mar 12, 2020
Testing Start Date : Mar 12, 2020
Testing End Date : Mar 23, 2020
Test result(s) : For further details, please refer to the following page(s) (Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for:
SGS-CSTC Standards Technical Services Co., Ltd. GZ Branch Testing Center
Quincey lee
Authorized signatory

TEST REPORT

No. : GZIN2003007083PS
Date : Mar 23, 2020
Page: 3 of 4

Test Item: Light Ageing Test-UV Exposure
Sample Description: Plastic part
Test Method: ISO 4892-3:2016 Cycle 1 & ISO 105-A02:1993/Cor.2:2005
Test Condition:
Exposure cycle:
ISO 4892-3:2016 Cycle 1
Lamp type: UVA-340
8h UV at (60±3) BPT, 0.76W/(m²·min) @ 340nm
4h condensation at (50±3) BPT
Exposure duration: 200h

| Sample | Greyscale |
|--------|-----------|
| A | 4-5 |

Note:
1. According to ISO 105-A02:1993/Cor.2:2005, the grey scale is determined under the standard light, with scale 5 as the best and scale 1 as the worst.
2. The protected film was ripped off before test.




the art


quirky and delightful shade palette having beautiful tints that can woo all



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.



ZH - 8601 (NEW)




EB - 8601
EDGE BAND




ZH - 8610



EB - 8610
EDGE BAND



ZH - 8602




EB - 8602
EDGE BAND



ZH - 8645




EB - 8645
EDGE BAND



the smart choice



the shimmer of this glossy finish paired with the splash of these colours, creates an aura of unbelievable proportion in the vicinity of your decors.





ZH - 8609




EB - 8609
EDGE BAND



ZH - 8605



EB - 8605
EDGE BAND



ZH - 8644




EB - 8644
EDGE BAND



ZH - 8606



EB - 8606
EDGE BAND





ANTISCRATCH
100% ACRYLIC

the first look

Give an earthen make over to your space with these masterpieces



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.



ZH - 8661 (NEW)




EB - 8661
EDGE BAND



ZH - 8662 (NEW)




EB - 8662
EDGE BAND




ZH - 8663 (NEW)




EB - 8663
EDGE BAND



ZH - 8664 (NEW)




EB - 8664
EDGE BAND




Breath-taking




*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*



ZH - 8604



EB - 8604
EDGE BAND




ZH - 8608



EB - 8608
EDGE BAND



ZH - 8648




EB - 8648
EDGE BAND



ZH - 8649



EB - 8649
EDGE BAND






ANTISCRATCH
100% ACRYLIC

the better range

the range that has a fabulous variety and accents of alluring edge, these laminates speak brilliance all over.




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.




ZH - 8646





EB - 8646
EDGE BAND




ZH - 8603 (NEW)




EB - 8603
EDGE BAND



ZH - 8643



EB - 8643
EDGE BAND



ZH - 8647



EB - 8647
EDGE BAND





the perfect match


give a chance to these subtle yet zealous hues, which promise to take over your dwelling and lead you into prominence of eternal vogue.




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.



ZH - 8614




EB - 8614
EDGE BAND




ZH - 8641




EB - 8641
EDGE BAND



ZH - 8611




EB - 8611
EDGE BAND



ZH - 8631



EB - 8631
EDGE BAND




the better you


we are spoiling you for choice with a spectrum of colours on offer, to create your dream ambiance with the utmost ease.




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.



ZH - 8640



EB - 8640
EDGE BAND




ZH - 8612



EB - 8612
EDGE BAND




ZH - 8615




EB - 8615
EDGE BAND



ZH - 8607



EB - 8607
EDGE BAND






the smart shades

let your heart decide between these exceptional shades of colours that are sure to take over decors elegantly.



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.







ZH - 8620 **PR**



EB - 8620
EDGE BAND



ZH - 8625 **PR**




EB - 8625
EDGE BAND



ZH - 8621 **PR**



EB - 8621
EDGE BAND



ZH - 8613 **PR**



EB - 8613
EDGE BAND

metallig
a

4



*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*






ZH - 9614 **PR**




EB - 9614
EDGE BAND




ZH - 8626 **PR**



EB - 8626
EDGE BAND




ZH - 9611 **PR**



EB - 9611
EDGE BAND



ZH - 8627 **PR**



EB - 8627
EDGE BAND

metallig
meta




the creativity

give the breath of creativity and
promise of class to your abode




*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*




ZH - 8618 **PR**



EB - 8618
EDGE BAND



ZH - 8630 **PR**



EB - 8630
EDGE BAND




ZH - 8622 **PR**



EB - 8622
EDGE BAND



ZH - 8619 **PR**



EB - 8619
EDGE BAND

Benetti
metallia



s
y
m
p
h
o
n
y




ANTI SCRATCH
100% ACRYLIC

me t a i c




There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.




ZH - 8652 **PR** (NEW)



EB - 8652
EDGE BAND




ZH - 9663 **PR**




EB - 9663
EDGE BAND




ZH - 8653 **PR** (NEW)



EB - 8653
EDGE BAND



ZH - 8654 **PR** (NEW)



EB - 8654
EDGE BAND

metallia

4



the simplicity

make your arena sing the symphony
of serenity and simplicity



ANTISCRATCH
100% ACRYLIC




*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*






ZH - 8616 **PR**



EB - 8616
EDGE BAND



ZH - 8629 **PR**



EB - 8629
EDGE BAND




ZH - 9613 **PR**



EB - 9613
EDGE BAND



ZH - 8617 **PR**




EB - 8617
EDGE BAND

metallig


4



magnificence



*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*



ZH - 01 **PR PR**

Silver



ZH - 02 **PR PR**

Gold



ZH - 03 **PR PR**

Rose Gold



ZH - 04 **PR PR**

Grey

SELF ADHESIVE

6H ANTI SCRATCH MIRROR ACRYLIC LAMINATE

APPLICATION METHOD



- Surface of Plywood /MDF must be dust free to use self adhesive mirror Acrylic sheet.
- For Better result It is advise to stick on matte finish surface laminate



Sheet Size : 1220mm x 2440mm (4ft x 8 ft)
Edge Band Size : W-23mm x T-1mm x L-50 Meters





ANTISCRATCH
100% ACRYLIC

the perfect place

bring in these bright peppy hues and make your place come to life





ZH - 9603 **PR** (NEW)

Scan QR Code
For Full Sheet View



EB - 9603
EDGE BAND



ZH - 9606 **PR** (NEW)

Scan QR Code
For Full Sheet View



EB - 9606
EDGE BAND

marble art



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.

the right shades



ANTISCRATCH
100% ACRYLIC

soft and poised shades that can
create a wonderful vision right in
your space



ZH - 9604 **PR** (NEW)

Scan QR Code
For Full Sheet View



EB - 9604
EDGE BAND



ZH - 9605 **PR** (NEW)

Scan QR Code
For Full Sheet View



EB - 9605
EDGE BAND

marble art



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.



c r a f t s m a n s h i p



ZH - 9601 **PR**

Scan QR Code
For Full Sheet View




EB - 9601
EDGE BAND



ZH - 9602 **PR**

Scan QR Code
For Full Sheet View



EB - 9602
EDGE BAND

marble art



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.


the class design

take your decor to the next level of sophistication by embellishing it with the best in class designs and finishes from prism.



ANTISCRATCH
100% ACRYLIC





ZH - 9636 **PR**

Scan QR Code
For Full Sheet View




EB - 9636
EDGE BAND



ZH - 9637 **PR**

Scan QR Code
For Full Sheet View



EB - 9637
EDGE BAND

woodent
art




*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*

the smart choice


the desired and eliminates the undesired qualities
based on the taste of the contemporary
users.





ZH - 9638 **PR**

Scan QR Code
For Full Sheet View




EB - 9638
EDGE BAND



ZH - 9639 **PR**

Scan QR Code
For Full Sheet View



EB - 9639
EDGE BAND

wooden *art*



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.

the better style

bring in this laminates collection and make your leeway an exotic spectacle of natural elegance and style.




ANTISCRATCH
100% ACRYLIC






ZH - 9640 **PR**

Scan QR Code
For Full Sheet View




EB - 9640
EDGE BAND



ZH - 9641 **PR (NEW)**

Scan QR Code
For Full Sheet View



EB - 9641
EDGE BAND

woodenart



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.



the decor

exquisite array of laminate sheets, which are the answer for all your decor needs.



ANTISCRATCH
100% ACRYLIC



ZH - 9632 **PR**

Scan QR Code
For Full Sheet View




EB - 9632
EDGE BAND



ZH - 9633 **PR**

Scan QR Code
For Full Sheet View



EB - 9633
EDGE BAND

woodent
art



There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.



the aura

this collection brings the perfect combination of nature and urbanity into your space and gives it an eye catching character.



ZH - 9634 **PR**

Scan QR Code
For Full Sheet View



EB - 9634
EDGE BAND



ZH - 9635 **PR**

Scan QR Code
For Full Sheet View



EB - 9635
EDGE BAND

woodent
art



*There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations.
Actual colours of the laminate sheet may vary from this brochure.*

FAQS

Reasons for air bubble formations on laminates :



Laminates are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Debonding in certain areas because of uneven substrate surface




Use of extremely large acrylic/PVC laminate sheets (more than 8ft x 2ft long)




Insufficient or lack of pressing during the bonding period of laminate



Causes of yellow patches and colour fading after installation :




Exposure to direct sunlight can gravely affect a laminate's appearance



Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive




The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.




Prolonged exposure to high temperature (above 30°C ~ 35°C)



If hot cookware or utensils are directly placed on the laminate



Causes of Crack Lines or Stretch Lines in Benetti Acrylic Laminate Sheets.



To avoid the inside cracks & stretch line
Do not store acrylic sheet in roll form.



SGS




ENVIRONMENTAL SIGN



CARBON EMISSIONS

panel structure



parameter comparison

RECOMMENDED ADHESIVE FOR PRESSING



HIGH STRENGTH BOND

Now Available in : 800gm. & 4 Kg.

| Parameters | Benetti Acrylic Laminate | High Gloss Laminate Mica | PU coating/ Duco Paint | Back Painted Glass |
|--|--------------------------|--------------------------|------------------------|--------------------|
| Gloss Level | >90 | >70 | >85 | >85 |
| Scratch Proof | 6H Anti scratch | No | No | No |
| Color Consistency | Excellent | Not good | Not good | Not good |
| Orange Peel | No | Yes | Yes | No |
| UV Resistance | Excellent | Bad | Bad | Bad |
| Water Resistance | Excellent | Bad | Bad | Excellent |
| DRY Heat Resistance | Excellent | Good | Bad | Bad |
| Volatile Organic Compounds (VOCs) | No | Yes | Yes | Yes |

There can be colour variation in material from different batches, it is advised to use same batch material to avoid colour variations. Actual colours of the laminate sheet may vary from this brochure.

available in size

Available in Size : 2440mm x 1220mm (8 Feet x 4 Feet) Thickness : 1.5mm ~ 1.3mm

applications



Kitchen



Bathroom



Furniture



Healthcare



Commercial



Hospitality & Restaurants





Wall Cladding & Partiton



SCAN HERE
TO VISIT OUR WEBSITE

Our Range of Products:



 www.zurichlam.in |  info@zurichlam.in

There can be colour variation in material from different batches, It is advised to use same batch material to avoid colour variations.
Actual colours of EDGE BAND may vary from the same colour Acrylic Laminate Sheet. Actual colour of Acrylic Laminate Sheet and EDGE BAND may vary from this brochure.