

Rang[®]

LET'S LIVE BEAUTIFUL

F A S C I N A T I N G

MASKARA[®]

6H ACRYLIC LAMINATE

Rang[®]
LET'S LIVE BEAUTIFUL

MASKARA[®]
6H ACRYLIC LAMINATE



Rang Décor has been providing world class decorative products in this decade. Our range was started with PVC Laminate initially, later we introduce charcoal panels and Louvers. Rang is proud to announce that our 4th introduction to market was Acrylic laminate and our 5th introduction to the market is MDF Louvers. And the latest addition to our family is Nazrana Engraved Mirror Acrylic , OHHO Decorative Laminate and Art by One Decorative Louvers. These artistic and visually striking acrylics are trending in the architect world! Our team of experts is dedicated to the quality and timely procurement with zero depletion and zero failure. Each day we personally look into the innovation part to bring out creativity and fresh designs with all new patterns. Our products not only highlight the ornamentation but also add a tincture of freshness in everything around! RANG is a world where beautifying your space is our priority!



E-CATALOGUE

FAQS

CAUSES OF YELLOW PATCHES AND COLOUR FADING AFTER INSTALLATION:



If hot cookware or utensils are directly placed on the laminate



Use of inferior or sub-standard dipped plywood or dipped lipping patti, which may chemically react with the adhesive



The use of synthetic rubber adhesives such as SR / Jat Pat, Bostic, Heatx, etc.



Prolonged exposure to high temperature (above 30°C-35°C)




Exposure to direct sunlight can gravity affect a laminated appearance

DISCLAIMER

There can be colour variation in the material from different batches. It is advised to use same batch material to avoid colour variations. Actual colours of the Acrylic laminate sheets/Acrylic Edge bending may vary from this brochure.

REASONS FOR AIR BUBBLE FORMATIONS ON LAMINATES:



Insufficient or lack of pressing during the bonding period of laminate



Debonding in certain areas because of uneven substrate surface



Laminates are bonded in extremely humid conditions



Use of water base synthetic resin adhesive any other than PEVA (Polyethylene Vinyl Acetate Co-polymer)



When substrate loses moisture after installation



Use of extremely large acrylic/PVC laminate sheets for maximum utilization

APPLICATIONS




KITCHEN




BATHROOM



HEALTHCARE



FURNITURE




COMMERCIAL

INFORMATION

No Guarantee in any circumstances

Like crack, bubble, color fade and color variation.
Please check material when delivered.

- No guarantee & no exchange in any circumstances.
- There can be color variation in material from different batches.
- It is advised to use same batch material to avoid color variations.
- Actual colors of the laminate sheet may vary from this brochure.



Please open the roll immediately.
Do not pressurize while opening roll.



Shake it well and lightly spray on the surface.



Wipe the surface clean using a light circular motion.

Note : Rang warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any manufacturing defect Rang is liable for product cost only.


Rang is not liable for any complains in the following cases

- Colour variation from batch-to-batch production.
- Improper handling of product or any transportation damage.
- Improper installation of product.
- Outdoor applications.
- Exposure of laminate sheet to direct sunlight.

We are liable only on acrylic products not on plywood, glue and other material for installation.

- It is advisable to check the batch number to avoid colour variation.
- Rang is not liable for any complaints if the product is not properly handled or installed. Maintain according to given guidelines.

WHAT'S INSIDE MASKARA?



PLEASE REMOVE PROTECTIVE FILM WITHIN 6/7 DAYS OF INSTALLATION



LIGHT WEIGHT

The flawless design structure of our acrylic sheets is engineered to be extremely light weight and easy to apply.



TERMITE & BORER FREE

The advanced sciences enable our acrylic sheets to fight against termites and borers for several years.



1.5mm THICKNESS

Advanced processing procures the right amount of manufactured thickness which provides forever strength to the laminate sheets.



WATER & STAIN PROOF

Our 6h acrylic sheets are manufactured to repel water and stains for a long time.



DURABILITY & STRENGTH

Our acrylic sheets developed with technologically advanced processing are Anti-Scratch and stain resistant.



IDEAL FOR VERTICAL APPLICATION

The exemplary adhesion properties enables our collection of acrylic sheets to be presented in vertical

SGS

Test Report No. SHAEC2015342301 Date: 13 Aug 2020 Page 1 of 4

The following sample(s) was/were submitted and identified on behalf of the clients as : acrylic sheet

SGS Job No. : SP20-024655 - SH
 Date of Sample Received : 07 Aug 2020
 Testing Period : 07 Aug 2020 - 13 Aug 2020
 Test Requested : Selected test(s) as requested by client.
 Test Method : Please refer to next page(s).
 Test Results : Please refer to next page(s).


Result Summary :

Test Requested	Conclusion
US California Proposition 65-Lead content	PASS
US California Proposition 65- Cadmium content	PASS
US California Proposition 65- Phthalate content	PASS

Signed for and on behalf of
 SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.

Carol Luo

Carol Luo
 Approved Signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side of this document or available at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses printed therein. Any holder of this document is advised that the information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8387 5443, or email: cn.china@sgs.com

17 Building, 889 Yuhang Road, Xuhui District, Shanghai, China 200233 | EAE (86-21) 61420553 | EAE (86-21) 64903679 | www.sgs.com
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 | 1HL (86-21) 61420594 | 1HL (86-21) 61158889 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS

Test Report No. SHAEC2015342301 Date: 13 Aug 2020 Page 2 of 4

Test Results :

Test Part Description :

Specimen No. : SN1
 SGS Sample ID : SHA20-153423.001
 Description : Colorless transparent solid

Remarks :
 (1) 1 mg/kg = 0.0001%
 (2) MDL = Method Detection Limit
 (3) ND = Not Detected (< MDL)
 (4) "*" = Not Regulated

US California Proposition 65-Lead content

Test Method : With reference to CPSC Test Method: CPSC-CH-E1002-08.3. Analysis was performed by AAS.

Test Item(s)	Limit	Unit	MDL	001
Lead (Pb)	100	mg/kg	20	ND
Conclusion				PASS

Notes :
 (1) The limit is referenced to the requirement as stated in the County of San Francisco Superior Court, Case No. CGC-09-489839 and County of Los Angeles Superior Court Case No. BC 449019.
 (2) The reference limit applied in testing is based on particular California Proposition 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect user's actual exposure to the tested chemical.
 A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with California Proposition 65 by clearly informing the consumer of potential exposure

US California Proposition 65-Cadmium content

Test Method : With reference to CPSC Test Method: CPSC-CH-E1002-08.3. Analysis was performed by AAS.

Test Item(s)	Limit	Unit	MDL	001
Cadmium (Cd)	300	mg/kg	5	ND
Conclusion				PASS

Notes :
 (1) The limit is referenced to the cadmium requirement as stated in the County of Alameda Service

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side of this document or available at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses printed therein. Any holder of this document is advised that the information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8387 5443, or email: cn.china@sgs.com

17 Building, 889 Yuhang Road, Xuhui District, Shanghai, China 200233 | EAE (86-21) 61420553 | EAE (86-21) 64903679 | www.sgs.com
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 | 1HL (86-21) 61420594 | 1HL (86-21) 61158889 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS

Test Report No. SHAEC2015342301 Date: 13 Aug 2020 Page 3 of 4

Court, RG-10-514803.
 (2) The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.
 A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

US California Proposition 65- Phthalate content

Test Method : With reference to CPSC-CH-C1001-09.4(2018). Analysis was performed by GC-MS.

Test Item(s)	CAS.NO.	Limit	Unit	MDL	001
Dibutyl Phthalate (DBP)	84-74-2	1000	mg/kg	50	ND
Benzylbutyl Phthalate (BBP)	85-68-7	1000	mg/kg	50	ND
Di(2-ethylhexyl)phthalate/Bis(2-ethylhexyl) phthalate (DEHP)	117-81-7	1000	mg/kg	50	ND
Disodecyl Phthalate (DIDP)	26761-40-0	1000	mg/kg	50	ND
	/68515-49-1				
Di-n-hexyl Phthalate (DnHP)	84-75-3	1000	mg/kg	50	ND
Diisononyl Phthalate (DINP)	28553-12-0	1000	mg/kg	50	ND
	/68515-48-0				
Conclusion					PASS

Notes :
 (1) The limit is referenced to the requirement as stated in the County of Marin Court Case No. CIV 091146 and the County of Santa Clara Superior Court, 114CV267501.
 (2) The reference limit applied in testing is based on particular prop 65 settlements that are most similar to the tested product in the opinion of the lab. The testing in this report does not reflect a user's actual exposure to the tested chemical.
 A manufacturer or retailer that is not named in the referenced settlement is not bound by that settlement, and may choose to comply with Proposition 65 by clearly informing the consumer of potential exposure.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side of this document or available at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses printed therein. Any holder of this document is advised that the information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8387 5443, or email: cn.china@sgs.com


17 Building, 889 Yuhang Road, Xuhui District, Shanghai, China 200233 | EAE (86-21) 61420553 | EAE (86-21) 64903679 | www.sgs.com
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 | 1HL (86-21) 61420594 | 1HL (86-21) 61158889 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)

SGS

Test Report No. SHAEC2015342301 Date: 13 Aug 2020 Page 4 of 4

Sample photo:



SHA20-153423.001

SGS authenticate the photo on original report only

*** End of Report ***

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed on the reverse side of this document or available at <http://www.sgs.com/terms-and-conditions> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction clauses printed therein. Any holder of this document is advised that the information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not constitute parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing inspection report & certificate, please contact us at telephone: (86-755) 8387 5443, or email: cn.china@sgs.com

17 Building, 889 Yuhang Road, Xuhui District, Shanghai, China 200233 | EAE (86-21) 61420553 | EAE (86-21) 64903679 | www.sgs.com
 中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 | 1HL (86-21) 61420594 | 1HL (86-21) 61158889 | sgs.china@sgs.com

Member of the SGS Group (SGS SA)

Rang[®]
LET'S LIVE BEAUTIFUL

MASKARA[®]
6H ACRYLIC LAMINATE



*Edge Band Available Size :

1 mm * 22mm/25mm*

Sizes are subject to availability


Available Size : 2440mm X 1220mm (8ft X 4ft)

Thickness : 1.5 mm (± 10%)


ACRYLIC EDGE BAND




4001 SNOW
PAGE : 2, 22, 28



4002 COTTON
PAGE : 2, 26




6101 PEARL
PAGE : 2, 8, 10




6001 SALT
PAGE : 2, 30



6104 FERN
PAGE : 6




6112 LILOTRI
PAGE : 6




6111 ASMONY
PAGE : 6



6108 METONYX
PAGE : 6




6114 SANTORINI
PAGE : 6




6113 NELOU
PAGE : 6



6116 STORM
PAGE : 8



6105 SMOKE
PAGE : 8



6115 GREIGE
PAGE : 8



6102 LATTE
PAGE : 8



6103 SEPIA
PAGE : 10



6106 CINNAMON
PAGE : 10



6109 CHEROOT
PAGE : 10



6107 SALMON
PAGE : 10



6110 ROSEATE
PAGE : 10



4025 PACIFIC
PAGE : 20



4021 AQUA
PAGE : 20



4026 OCEAN
PAGE : 20



4020 DENIM
PAGE : 20



4043 BASIL
PAGE : 20



4010 JUNIPER
PAGE : 20




4005 FOSSIL
PAGE : 22




4014 FLINT
PAGE : 22




4029 RHINO
PAGE : 22



4044 MUSHROOM
PAGE : 22




4038 IRONORE
PAGE : 22




4035 SANDCASTLE
PAGE : 24




4037 ASHWOOD
PAGE : 24




4036 BENJAMIN MOORE
PAGE : 24




4013 MASKA
PAGE : 24




4003 FRAPPE
PAGE : 24



4006 PEANUT
PAGE : 24



4012 MACAROON
PAGE : 26



4009 MIDNIGHT
PAGE : 26



4011 MOMRO
PAGE : 26




4040 MUSTAD
PAGE : 26




4027 SUNLIGHT
PAGE : 26



4042 GULABJI
PAGE : 28




4023 LAVENDER
PAGE : 28




4039 ORCHID
PAGE : 28



4041 SANGRIA
PAGE : 28




6010 MATIYA
PAGE : 30



6008 NUTELLA
PAGE : 30




6007 SHADOW
PAGE : 30




6019 ARCTIC
PAGE : 30



6015 LILAC WHITE
PAGE : 33




6018 ARMANI
PAGE : 33



6016 DYNA
PAGE : 34




6017 BIANCO STATURIO
PAGE : 34



6011 DOPPIO
PAGE : 35




6012 RICOTTA
PAGE : 35



6013 TIRAMISU
PAGE : 36

Edge Band Available Size : 1 mm *25 mm
Sizes are subject to availability




6014 TITANIUM
PAGE : 36


6 H ACRYLIC




! RM 8001




RM 4001 SNOW
EDGE BAND CODE **EB 4001**



RM 4002 COTTON
EDGE BAND CODE **EB 4002**




RM 6101 PEARL
EDGE BAND CODE **EB 6101**



RM 6021 GOLD FLAKES
RECOMMENDED EDGE BAND CODE **EB 4002**



RM 8001 DOVE



RM 6001 SALT
EDGE BAND CODE **EB 6001**



AUTO METALLIC

Give a premium finish to any of your projects with auto metallic acrylic sheets. They have gloss finish on one side to transform your interior into eye-catching and elegant surfaces. Available in 1.5 mm thicknesses. Find varieties of colours with the best quality. They have the same properties as other standard cast acrylic sheets, the most significant difference is in which these sheets effect..

• Kitchens • Display Panels • Splash Backs

Thickness : 1.5mm | Size : 1220X2440mm



TERMITE &
BORER FREE



1.5mm
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH




IDEAL FOR
VERTICAL
APPLICATION




WATER &
STAIN PROOF

6 H ACRYLIC







RM 6104 FERN
EDGE BAND CODE **EB 6104**




RM 6112 LILOTRI
EDGE BAND CODE **EB 6112**




RM 6111 ASMONY
EDGE BAND CODE **EB 6111**



RM 6108 METONYX
EDGE BAND CODE **EB 6108**



RM 6114 SANTORINI
EDGE BAND CODE **EB 6114**



RM 6113 NELOU
EDGE BAND CODE **EB 6113**

6 H ACRYLIC



! RM 6102


! RM 6116



RM 6116 STORM
EDGE BAND CODE **EB 6116**





RM 6105 SMOKE
EDGE BAND CODE **EB 6105**



RM 6101 PEARL
EDGE BAND CODE **EB 6101**




RM 6115 GREIGE
EDGE BAND CODE **EB 6115**




RM 6102 LATTE
EDGE BAND CODE **EB 6102**

6 H ACRYLIC






RM 6101 PEARL
EDGE BAND CODE **EB 6101**




RM 6103 SEPIA
EDGE BAND CODE **EB 6103**




RM 6106 CINNAMON
EDGE BAND CODE **EB 6106**



RM 6109 CHEROOT
EDGE BAND CODE **EB 6109**



RM 6107 SALMON
EDGE BAND CODE **EB 6107**



RM 6110 ROSEATE
EDGE BAND CODE **EB 6110**



MATTE

Maskara Matt acrylic sheets have a frosted finish that reduces reflected light. The non-glossy surface here has a smooth texture and a low reflectivity. They obscure objects behind it, yet lets light in. Give your furnitures a refined and contemporary aesthetics.

They are noticeably durable and can be used for different purposes.

- Fixtures • Displays • Pedestals • Shelving
- Signs and Framing

Thickness : 1.5mm | Size : 1220X2440mm



TERMITE &
BORER FREE



1.5mm
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION




WATER &
STAIN PROOF

6 H ACRYLIC




! RM 8009




RM 8008 RIVERWAY



RM 8009 AMBER




RM 8012 PEACOCK



RM 8011 GARDEN



RM 8001 DOVE




RM 8007 CITYSCAPE

6 H ACRYLIC




! RM 8005


! RM 8002




RM 8003 MINK



RM 8004 PASHMINA




RM 8002 MIST




RM 8010 BARBERRY



RM 8005 STONINGTON



RM 8006 BENJAMIN



CRYSTAL CLEAR

These shining sheets offer extremely practical benefits. And these pieces of decorative acrylics are perfectly suitable for all the indoor usage. Because of their sophisticated and brilliant look, they are the first choice of architects and interior professionals. Above all, they are environment friendly.

They are more used in indoor or outdoor applications in Offices and Houses • Shop Fittings • Shelves • Picture Frames • Signage

Thickness : 1.5mm | Size : 1220X2440mm



TERMITE &
BORER FREE



1.5mm
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION




WATER &
STAIN PROOF

6 H ACRYLIC




! RM 4026


rangdecor.in



RM 4025 PACIFIC
EDGE BAND CODE **EB 4025**



RM 4021 AQUA
EDGE BAND CODE **EB 4021**




RM 4026 OCEAN
EDGE BAND CODE **EB 4026**



RM 4020 DENIM
EDGE BAND CODE **EB 4020**




RM 4043 BASIL
EDGE BAND CODE **EB 4043**



RM 4010 JUNIPER
EDGE BAND CODE **EB 4010**

6 H ACRYLIC







RM 4005 FOSSIL
EDGE BAND CODE **EB 4005**



RM 4014 FLINT
EDGE BAND CODE **EB 4014**




RM 4029 RHINO
EDGE BAND CODE **EB 4029**



RM 4001 SNOW
EDGE BAND CODE **EB 4001**



RM 4044 MUSHROOM
EDGE BAND CODE **EB 4044**




RM 4038 IRONORE
EDGE BAND CODE **EB 4038**

6 H ACRYLIC




! RM 4013




RM 4035 SANDCASTLE
EDGE BAND CODE **EB 4035**




RM 4037 ASHWOOD
EDGE BAND CODE **EB 4037**




RM 4036 BENJAMIN MOORE
EDGE BAND CODE **EB 4036**



RM 4013 MASKA
EDGE BAND CODE **EB 4013**



RM 4003 FRAPPE
EDGE BAND CODE **EB 4003**




RM 4006 PEANUT
EDGE BAND CODE **EB 4006**


6 H ACRYLIC




! RM 4027




RM 4012 MACAROON
EDGE BAND CODE **EB 4012**




RM 4002 COTTON
EDGE BAND CODE **EB 4002**




RM 4009 MIDNIGHT
EDGE BAND CODE **EB 4009**



RM 4011 MOMRO
EDGE BAND CODE **EB 4011**



RM 4040 MUSTAD
EDGE BAND CODE **EB 4040**



RM 4027 SUNLIGHT
EDGE BAND CODE **EB 4027**


6 H ACRYLIC




! RM 4041




RM 4042 GULABJI
EDGE BAND CODE **EB 4042**



RM 4023 LAVENDER
EDGE BAND CODE **EB 4023**




RM 4039 ORCHID
EDGE BAND CODE **EB 4039**



Enhance the durability and impact of your decor with our colourful edge band products. In a world where surfaces speak volume about style and standards, bring home these ones!




RM 4001 SNOW
EDGE BAND CODE **EB 4001**



RM 4041 SANGRIA
EDGE BAND CODE **EB 4041**







RM 6001 SALT
EDGE BAND CODE **EB 6001**



RM 6010 MATIYA
EDGE BAND CODE **EB 6010**




RM 6008 NUTELLA
EDGE BAND CODE **EB 6008**



Perfect for kitchens as in the fierce force of heat and adhesives also, these edge banding products come alive. Take a moment to appreciate the shades of these products.



RM 6007 SHADOW
EDGE BAND CODE **EB 6007**



RM 6019 ARCTIC
EDGE BAND CODE **EB 6019**



MARBLE

Produced according to the natural patterns of marbles or clouds, these are largely used by homestyle lovers. We do Customise them according to needs and requirements. Compared to other marble acrylic sheets, these ones are lighter and easy to move..

VENEERS

Majorly available in wood and nut colours. They are refined and suited to present day functional requirements. Giving your decor a classy look, the veneer acrylic sheets remain yet the easiest go to product for many interior applications.

- Kitchens • Living Rooms • TV Panels • Study Nooks • Wardrobe Panels and More.

Thickness : 1.5mm | Size : 1220X2440mm



TERMITE &
BORER FREE



1.5mm
THICKNESS



LIGHT
WEIGHT




DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



RM 6015 LILAC WHITE
EDGE BAND CODE **EB 6015**



RM 6018 ARMANI
EDGE BAND CODE **EB 6018**





! RM 6017




RM 6016 DYNA
EDGE BAND CODE **EB 6016**




RM 6017 BIANCO STATURIO
EDGE BAND CODE **EB 6017**

6 H ACRYLIC



RM 6011 DOPPIO
EDGE BAND CODE **EB 6011**




RM 6012 RICOTTA
EDGE BAND CODE **EB 6012**



RM 6013




RM 6013 TIRAMISU
EDGE BAND CODE **EB 6013**




RM 6014 TITANIUM
EDGE BAND CODE **EB 6014**




! RM 4401



RM 4401 GOLD MIRROR




RM 4402 COPPER MIRROR



Imagine a bright shining world where surfaces become mirrors of your choices and your soul. Illuminate your homes with these mirror finished sheets!



RM 4403 BRONZE MIRROR



RM 4404 GREY MIRROR

TECHNICAL SPECIFICATION

Parameters	Acrylic Laminate	High Gloss Laminate Mica	PU Coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	Anti Scratch	NO	NO	NO
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	NO	YES	YES	NO
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	NO	YES	YES	YES



INDEX

MATTE NEW

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 8001	DOVE	14
2	RM 8002	MIST	16
3	RM 8003	MINK	16
4	RM 8004	PASHMINA	16
5	RM 8005	STONINGTON	16
6	RM 8006	BENJAMIN	16
7	RM 8007	CITYSCAPE	14
8	RM 8008	RIVERWAY	14
9	RM 8009	AMBER	14
10	RM 8010	BARBERRY	16
11	RM 8011	GARDEN	14
12	RM 8012	PEACOCK	14

SPARKLE

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 6001	SALT	30
2	RM 6007	SHADOW	30
3	RM 6008	NUTELLA	30
4	RM 6010	MATIYA	30
5	RM 6019	ARCTIC	30

MARBLES

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 6015	LILAC WHITE	33
2	RM 6016	DYNA	34
3	RM 6017	BIANCO STATURIO	34
4	RM 6018	ARMANI	33
5	RM 6021	GOLD FLAKES	2

CRYSTAL CLEAR

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 4001	SNOW	22
2	RM 4002	COTTON	26
3	RM 4003	FRAPPE	24
4	RM 4005	FOSSIL	22
5	RM 4006	PEANUT	24
6	RM 4009	MIDNIGHT	26
7	RM 4010	JUNIPER	20
8	RM 4011	MOMRO	26
9	RM 4012	MACAROON	26
10	RM 4013	MASKA	24
11	RM 4014	FLINT	22
12	RM 4020	DENIM	20
13	RM 4021	AQUA	20
14	RM 4023	LAVENDER	28
15	RM 4025	PACIFIC	20
16	RM 4026	OCEAN	20
17	RM 4027	SUNLIGHT	26
18	RM 4029	RHINO	22
19	RM 4035	SANDCASTLE	24
20	RM 4036	BENJAMIN MOORE	24
21	RM 4037	ASHWOOD	24
22	RM 4038	IRONORE	22
23	RM 4039	ORCHID	28
24	RM 4040	MUSTAD	26
25	RM 4041	SANGRIA	28
26	RM 4042	GULABJI	28
27	RM 4043	BASIL	20
28	RM 4044	MUSHROOM	22

MIRROR NEW


SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 4401	GOLD MIRROR	38
2	RM 4402	COPPER MIRROR	38
3	RM 4403	BRONZE MIRROR	38
4	RM 4404	GREY MIRROR	38

VENEERS

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 6011	DOPPIO	35
2	RM 6012	RICOTTA	35
3	RM 6013	TIRAMISU	36
4	RM 6014	TITANIUM	36

AUTO METALLIC

SR. NO.	D. NO.	D. NAME	PAGE NO.
1	RM 6101	PEARL	8
2	RM 6102	LATTE	8
3	RM 6103	SEPIA	10
4	RM 6104	FERN	6
5	RM 6105	SMOKE	8
6	RM 6106	CINNAMON	10
7	RM 6107	SALMON	10
8	RM 6108	METONYX	6
9	RM 6109	CHEROOT	10
10	RM 6110	ROSEATE	10
11	RM 6111	ASMONY	6
12	RM 6112	LILOTRI	6
13	RM 6113	NELOU	6
14	RM 6114	SANTORINI	6
15	RM 6115	GREIGE	8
16	RM 6116	STORM	8



Rang[®]

LET'S LIVE BEAUTIFUL.

OUR RANGE OF PRODUCTS

GROOVE[®]
SEAMLESS PLANKS

MASKARA[®]
6H ACRYLIC LAMINATE

CANIS[®]
PREMIUM MDF SLATS

BERN[®]
DECORATIVE PVC LAMINATE

Charco[®]
CHARM
DECORATIVE CHARCOAL PANELS

NAZRANA[™]
ENGRAVED ACRYLIC

ART BY ONE[™]
DECORATIVE LOUVERS



OHHO[®]
EXCLUSIVE DECORATIVE LAMINATES

rangdecor.in
info@rangdecor.in

2023 - 24