www.houseofdoors.in

# HOUSEO BOOKS DOORS DOORS



Created By Top

\*\*Chilect\*

& Interior Designers

MORE THAN

1000+

DESIGNS





House of Doors is a flagship brand of M. P. Patel & Co.(Bangalore) having manufacturing unit and suppliers of Teak Doors, Flush Doors, Laminated Doors, Veneered Doors, Wooden frames, UPVC Windows, Plywood, WPC Doors, Steel Doors and allied product since 1989 in Bangalore. With the experience of over 3 decades and happy customers, we are uniquely placed to offer the widest range of customized products at the best of prices and quality to our customers.

In past three decades of our existence in the market, the company has earned respectable place in the market. By offering superior quality Designer Door Panels and elegant Veneer Doors to our clients, we have been catering to varied requirements of construction, interior designing and architecture industry.

House of Doors is here to revolutionize the way you purchase the wood and re-imagine the possibilities of wood craft. We are trying to make it an organised purchase by redefining the timber purchase into one standard product.

Backed by an expert team of workers, efficient management, advanced infrastructure and strict quality monitoring process, we have been able to offer flawless Customized Doors and wooden frames to our clients. House of Doors is also ranked as the best distributors for WPC Doors and frames because of the prompt service in Bangalore.

Being ISO 9001:2015 certified proves us being the leading manufacturer and suppliers of high class state of the art customized doors. The vast acceptance of our brand House of Doors by demanding Architects, Builders & End Consumers is a testimony to its unrelenting commitment to quality products & processes.

Experience our service and you will be pleasantly surprised. Come as a customer and return as a friend... need we say more?

#### **OUR MISSION**

To revolutionize the way doors and frames is purchased by home builders and making purchase easier and organized by offering superior customized services along with the quality products under one roof.

#### **OUR VISION**

Our Vision is to be the best supplier of timber, customized doors and allied wood products and to build a long term relationship with our clients by offering them value and best experience whilst building their dream homes.



### WHY CHOOSE US?

#### **WE LISTEN**

We listen to your requirements, customise according to your needs.



We help to a build better doors by giving unique trendy & Modern House Doors.

#### **WE MANUFACTURE**

With our In-House resources, High-end technology, skilled and experienced team we manufacture your Door.







### WHY HOUSE OF DOORS?



BORER FREE



TERMITE FREE



QUALITY GUARANTEE



LAB TESTED




SEASONED WOOD



WEATHER PROOF DOORS

### **CONTENTS**




### **WOODEN DOOR FRAMES**



House Of Doors is here to revolutionize the way you purchase the wood and re-imagine the possibilities of wood craft. We are here to serve our clients with readymade door and window frames. The reason to start this venture is to redefine wood purchasing. Customers now don't have to run behind different timber shops for this complicated purchase of wooden logs or cut sizes. This way our customer's dependency on the Carpenters / Labours for purchasing wood and then getting the frame ready is eliminated.

House of Doors feels very proud to introduce as one of the well-known wholesalers and traders of different species of Wooden Door frames. Leveraging on the skills of our professionals, we are involved in offering best quality of wooden door frames. Further, we are master in providing customized sizes to our customers.

House of Doors deals with different types of Wood Species for ready-made door frames.














Door Frame with Top Ventilator

Door Frame with Half Fixed Window



Door Frame with Fixed Windows on both the sides



Door Frame with Fixed Windows (Left / Right)

### **TYPES OF ARCHITRAVES**

Thickness: 9mm Width: 30mm

Wood: Teak Wood & Sal Wood









### BURMA BORDER TEAK DOOR FRAME







At House of Doors we provide Ready-made Burma Border Teak Wood of 1st Quality Teak Wood for making our Door, Window Frames and window shutters.

#### Some of the characteristics of Burma Border Teak Wood are:-

- Teak's natural properties ensure it has good resistance to rot.
- The trees are among the few which produce high amounts of oil and wax, which serve to protect them from the hot, moist environments and pests.
- The durability and beautiful colouring of teak wood makes it one of the most prized and expensive wood types and is the strongest wood available in nature.
- Its water-resistance makes it popular for outdoor furniture, decks, and shower stools, but it gets a fair amount of use indoors for furniture, flooring, veneers, and carving too.
- It is easy to do Carving, polishing and staining on the Teak wood without any issues.
- House of Doors offer Burma Border Teak Wood which is uniform in colour and well-seasoned wood which would let you effortlessly perform various kinds of jobs.
- This Burma Border teak wood is mainly used for Door frames, Window frames, Furniture, Doors and Window shutters.

Sections available are: - 5x3", 6x3", 6x4", 5x4", 4x3", 8x3", 9x3", 10x3" & 8x4" etc.,

We at House of Doors provide with customized ready-made Burma Border Teak Door frame, Window frames and Shutters for your perfect home. House Of Doors offer finished Teak wood frame which is unmatched with comparison to the competitors in the market.



### African Teak WOOD FRAMES

At House of Doors we provide Ready-made African Teak wood Door frames of Ghana origin for making our Door and Window Frames.

Some of the characteristics of Ghana teak Wood are:-

- One of the main African Teak wood disadvantages is that there will be a change in colour through the wood. You can find the change in the colour of the wood from White to light brown with light grains.
- African Teak wood is inexpensive. However, there will be a great trade-off as it will appear different from Burma Teak in terms of grains and density.
- If you fail to use seasoned wood, there will be twisting issues. Hence, quality teak wood should be chosen and deployed for door frames.

Sections available are: - 5x3" & 6x4"



# Honne (Merbau) WOOD FRAMES

At House of Doors we provide ready-made Australian Honne Wood for making our Door frames, Window Frames and Window Shutters.

Some of the characteristics of Honne Wood are:-

• Honne is a dense hardwood with yellow-brownish in color. The grains are straight and can be painted. Honne

Wood contains "Natural Oil" in it that protects the wood from termite or any other insect attacks. People in Southern India use this wood to build the main door for their home.

- The only constraint with this wood is that, it should be protected from moisture and water logging as it leaves a stain when water logged.
- One of the biggest advantages of Honne wood is that it can be customized for door frames as well as for the shutters.
- Carving, painting and staining on Honne Wood is possible same as Teak wood as per your needs.
- The life of Honne Wood frames will be very high compared to other Hardwood Species.
- Honne is mostly used for door frames, window frames, door shutters & window shutters as there are lesser chances for bending and cracks. The life of the product is very high.

Sections available are: - 5x3", 6x3", 6x4", 5x4" & 4x3"

We at House of Doors provide with customized ready-made Honne Wood Door frames, Window frames, Window shutters, French doors and other varieties for your perfect home. Our finishing is unmatched with compare to the competitors in the market.



### Sal Wood (Meranti) DOOR FRAMES





At House of Doors we provide Ready-made Sal wood Door frames of Malaysian Meranti for making our Door and Window Frames.

Some of the characteristics of Sal Wood are:-

- One of the toughest timbers available today, sal wood has a hard and coarse grain. It is naturally a lightcoloured wood but it turns dark on constant exposure to sunlight.
- Sal wood is cost-effective, very strong and durable; hence it is ideal for making the body of a truck. It is also used in the construction industry and to make door

frames and windows.

- This wood is strong enough to withstand water, making it ideal for use in cold climates. It is also heavier and tougher than teak and is resistant to fungi, water and termites.
- Sal wood is used for interior door frame and window frame, wooden beam, batten, piles and tool handle etc. It is not suitable for shutters and furniture.
- Extensive range of Sal wood types is available in the market. You should choose them very carefully as per your needs.
- House of doors offer Sal wood from Malaysia also known as Malaysian Meranti Wood.


Sections available are: - 5x3" & 4x3"

### Mahogany WOOD FRAMES

At House of Doors we provide Ready-made Mahogany wood Door frames for making our Door Frames and Window Frames.


Some of the characteristics of Mahogany Wood are:-

- Solid and rich in color, mahogany wood frames add sophistication to your home. Mahogany is one of the most reliable materials for exterior construction.
- Mahogany has different grains and varies from batch to batch. It can range in colour from pale pink to reddish brown. The colour often darkens and grows richer over time.
- It has excellent workability, and is very durable making it an excellent choice in the best wood for exterior frames debate.
- Mahogany is an extremely durable wood. It has been the standard in exterior doors for a very long time. Mahogany doors are resistant to both insects and wood rot. With proper maintenance, you can expect your mahogany doors to last several generations.
- While some species of mahogany are endangered, the species that we use is not. You can trust that most of our Mahogany comes from sustainably grown and harvested forests.
- It can be polished or stained as per the needs.






## WOODEN WINDOW FRAMES



**Customised Window Sizes Are Also Available** 





# Teak Doors

We feel proud to introduce ourselves as one of the well-known manufacturers and suppliers of Teak Main Doors and Pooja Doors in Bangalore from 1989. Leveraging on the skills of our professionals, we are involved in offering best quality of Designer Teak Wood Doors. These Teak Wood Doors are made up of best quality seasoned Burma Border teak wood or African Teak Wood and we use advance technology of seasoning through kiln chambers. Further, we are master in providing most suitable products to customers.

Our manufactured designer main door is acclaimed for providing an elegant and distinguished look to the enclosed premises.

Technical Specification:-

Standard Length: 78", 81", 84" (Max – 96") Standard Width: 33", 36", 39" (Max – 48")

Standard Thickness: 32mm & 38mm (42mm & 50mm in Burma Border Teak Wood)

Finish: Burma Border Teak wood Door - Raw Finish (Requires Polish) African Teak Wood Door – Polished (Optional Top Coat required)

#### Notes for Teak Doors:-

- •No Warranty against Nature effects like Sun Cracks, Weather effects and Door Shrinkage
- Do not trim more than 1" (25mm) on the sides of Doors, or it will result in degradation of door style causing long term damage and reducing the life of the door.
- Since it's a natural product, there may be some Variations in Shade, grains and Design.
- Do Not Hammer the screws, fit screws using a Screwdriver.
- •Use carbide tip blade (Diamond Blade) for resizing of doors.





























MPT-14

MPT-17

MPT-19









MPT-1011★



MPT-103 1★



MPT-104 1★



MPT-200 2★



MPT-201 2★



MPT-202 2★



MPT-203 2★



MPT-205 2★



MPT-207 2★



MPT-208 2★



MPT-209 2★













MPT-210 2★

MPT-211 2★

MPT-212 2★

MPT-213 2★







MPT-214 2★

MPT-215 2★

MPT-217 2★









MPT-219 2★

MPT-220 2★

MPT-221 2★

MPT-222 2★









MPT-300 3★



MPT-301 3★



MPT-302 3★



MPT-303 3★



MPT-304 3★



MPT-305 3★



MPT-401 4\*



MPT-402 **4**★



MPT-403 4★



MPT-404 **4**★



MPT-405 4★











MPT-407 4★



MPT-409 4★



MPT-410 4★



MPT-411 **4**★



MPT-501 5★



MPT-502 **5**★



MPT-503 **5**★



MPT-504 5★



MPT-505 5★



MPT-506 5★



MPT-507 5★









MPT-509 5★



MPT-510 5★



MPT-511 5★



MPT-512 5★





MPT-601 6★



MPT-602 6★



MPT-603 6★



MPT-604 6★



MPT-605 6★



MPT-700 **7**★











MPT-702 **7**★



MPT-703 7★



MPT-704 7★



MPT-705 7★



MPT-706 **7**★



MPT-707 **7**★



MPT-709 **7**★



MPT-710 **7**★



MPT-711 **7**★



MPT-712 **7**★



MPT-713 7★









MPT-715 **7**★



MPT-716 7★



MPT-717 **7**★



MPT-718 7★



MPT-719 **7**★



MPT-720 **7**★



MPT-721 **7**★



MPT-722 **7★** 



MPT-723 **7★** 



MPT-724 **7**★



MPT-725 7★











MPT-727 7★



MPT-728 7★



MPT-729 7★



MPT-730 7★



MPT-731 7★



MPT-801 8★



MPT-802 8★



MPT-804 8★



MPT-805 8★



MPT-806 8★









MPT-808 8★



MPT-809 8★



MPT-810 8★



MPT-811 8★



MPT-812 8★



MPT-813 8★



MPT-814 8★



MPT-815 8★



MPT-816 8★



MPT-817 8★



MPT-818 8★











MPT-902 9★



MPT-903 9★



MPT-904 9★



MPT-905 9★



MPT-906 9★



MPT-907 9★



MPT-908 9★



MPT-909 9★



MPT-1001 10\*



MPT-1002 10★













**MPT-DP 6 2**★

**MPT-DP 7 4★** 

MPT-DP 11 4★

MPT-DP 10 5★







**MPT-DP 1 5★** 

MPT-DP 18 6★





MPT-DP 19 6★

**MPT-DP 3 7★** 

**MPT-DP 4 7★** 













MPT-DP 12 7★

MPT-DP 17 8★

**MPT-DP 2 8★** 

MPT-DP 9 10★







MPT-DP 15 10★

MPT-DP 16 10★





MPT-DP 14 10★

MPT-DP 20 11 \* MPT-DP 8 12 \*













MPT-DD 1 1★

MPT-DD 16 1★

MPT-DD 20 2★

**MPT-DD 8 6★** 







**MPT-DD 9 6★** 

MPT-DD 13 6★

MPT-DD 12 6★









MPT-DD 2 8★

MPT-DD 4 8★









MPT-DD 11 5★



MPT-DD 15 8★



MPT-DD 17 10★



MPT-DD 5 10★





MPT-DD 6 10★



MPT-DD 7 10★



MPT-DD 18 10★













MPT-334 7★

MPT-331 9★

MPT-339 12\*







MPT-332 14★

MPT - 40 14★

**French Doors** 









MPT-PD3



MPT-PD4



MPT-PD5



**MPT-PD6** 



MPT-PD7



MPT-PD101 1★



MPT-PD102 1★



MPT-PD103 1★



MPT-PD 104 1★



MPT-PD 105 1★



MPT-PD201 2★











MPT-PD203 2★



MPT-PD204 2★



MPT-PD205 2★



MPT-PD206 2★



MPT-PD300 3★



MPT-PD301 3★



MPT-PD302 3★



MPT-PD303 3★



MPT-PD304 3★



MPT-PD401 4★



MPT-PD402 4★









MPT-PD404 4★



MPT-PD405 4★



MPT-PD406 4★



MPT-PD407 4★



MPT-PD601 6★



MPT-PD701 7★



MPT-PD801 8★



MPT-PD802 8★



MPT-PD803 8★



MPT-PD804 8★



MPT-PD901 9★









MPT-PD903 9★



MPT-PD1001 10★



MPT-PD1201 12★



MPT-PD1202 12★



MPT-PD1203 12★



MPT-PD1204 12\*



MPT-PD1205 12★








































# Honne Doors

House of Doors is specialist in making Seasoned Solid Honne Wood Doors and is one of the biggest wholesalers in Bangalore. Honne Wood is the second most preferable wood, after Teak wood, for making furniture door, windows, framesetc. and is economically cheaper when compared to First Grade Teak wood.

Honne Wood has the capacity to withstand extreme weather conditions and is suitable for carving, painting and staining as per your needs. Seasoned Honne wood will be free from moisture which will help in retaining its natural oils for many years. These oils help the wood to be unharmed for many years.

Technical Specification:-

Standard Length: 78" & 81"

Standard Width: 33", 36" & 39"

Standard Thickness: 32mm

Finish: Raw (Requires Polish/Paint)

#### Notes for Teak & Honne Doors:-

- •No Warranty against Nature effects like Sun Cracks, Weather effects and Door Shrinkage
- Do not trim more than 1" (25mm) on the sides of Doors, or it will result in degradation of door style causing long term damage and reducing the life of the door.
- Since it's a natural product, there may be some Variations in Shade, grains and Design.
- Do Not Hammer the screws, fit screws using a Screwdriver.
- •Use carbide tip blade (Diamond Blade) for resizing of doors.











MPHD - 1 MPHD - 2 MPHD - 3 MPHD - 4







MPHD - 5 MPHD - 6 MPHD - 7









MPHD - 8 3★ MPHD - 9 ★ MPHD - 11 4★

MPHD - 12 2★











MPHD - PR2



MPHD - PR4 MPHD - PR5 3★



MPHD - PR3



MPHD - PR6 3★





# Decorative Laminated Doors

Decorative Laminated Doors are made with different combinations of high quality conventional laminates pasted in different styles on solid core flush doors. Leveraging on the craftsmanship of our professionals, we are involved in offering best quality of customized Laminated Doors. These Doors are made up with combination of different SS Strip of Silver and Gold Finish, Domes and grooves.

#### Product Care: -

- For cleaning the surface of the laminated doors, use dry cloth to wipe the stains. If needed can use ordinary liquid detergent.
- One should not use, wire or hard plastic brushes, and abrasives to clean the surface.
- Conventional laminates are made for interior decorations, should not be used where there are chances for direct exposure to sunlight or any other sort of direct heat.

Technical Specification:-

Standard Length: 78" & 81" (Can Be Customized to 96")

Standard Width: 26",30", 32", 36" & 38" (Can Be Customized to 48")

Standard Thickness: 32mm (Thickness can be customized for Bulk Quantity)

Finish: Laminated (No Paint or Polish Required) h/Paint)











MPL-G1 MPL-G2 MPL-G3









MPL-G5 MPL-G6












MPL-D2



MPL-D3



MPL-D4







MPL-D5



MPL-D6







MPL-D7



MPL-D8



MPL-D9



MPL-D10
























































MPL-S66

MPL-S71

MPL-S83
















































MPL-93

MPL-95





























MPL-E9 MPL-E10 MPL-E11 MPL-E12



# Decorative Veneer Doors

House of Doors offers Veneered grooved doors which are made of natural wood veneers in combination overlaid on Flush Doors. This process of making veneer doors offers the same visual beauty of Natural wood doors.

Veneered doors are suitable for homes, offices, hotels & commercial establishments. These doors are mainly used for Bedrooms, Main Doors and other internal door. Special Care has to be taken to veneer doors and should not be exposed to sunlight and rain water. These veneers are made up of natural wood species so the shades and veneer grains may vary from door to door. These environmentally friendly doors are best alternative to solid timber panel doors.





Sapeli



Walnut



Teak



Wenge

Technical Specification:-

Standard Length: 78", 81" (Max – 96")

Standard Width: 26",30", 32", 36", 38" (Max – 48")

Standard Thickness: 30mm (Thickness can be customized for Bulk Quantity)

Finish: Raw (Requires Polish)



































Plain OST/BST







MPV-P101



**MPV-P102** 



**MPV-P103** 



**MPV-P104** 



**MPV-P105** 



**MPV-P106** 



**MPV-P107** 



**MPV-P108** 



MPV-P109











MPV-P1







MPV-P4













MPV-GP1 MPV-GP2 MPV-GP3









MPV-GP4 MPV-GP5 MPV-GP6 MPV-GP7



# Primer Coated Doors

We offer a complete range of Solid Primer Coated panel doors, which are of superior design, comprehensive workmanship and highly durable quality. These are built out of well-seasoned& chemically treated solid pinewood timbers, where both the faces are coated with face Veneers. These prime coated doors, guarantee the same standards of quality followed in the international market. These doors can be stained to give a rich natural look or painted in contemporary shades depending upon the home decor. There is also a choice of different designs on smooth door surfaces, which can make a room, look unique. Because of different designs and excellent finishes, there is no doubt that these are becoming one of the most popular doors in India.

These Doors are Water Resistance, Termite Resistance, Anti-Fungal, Cost Effective, Higher Density and with ready to Paint Surface. This is an alternative to the traditional Flush Door Shutters.

Technical Specification:-

Standard Length: 78", 81" (Max – 96")


Standard Width: 26",30", 32", 36", 38" (Max – 48")


Standard Thickness: 32mm

Finish: Primed Surface (Requires Paint)


















**MPP-305** 














MPP-309

MPP-310


MPP-311

MPP-312























MPP-317






MPP-321

**MPP-322** 

**MPP-323** 












































**MPP-345** 


MPP-346

MPP-348
























**MPP-353** 







MPP-357


MPP-358


MPP-359 MPP-360











**MPP-362** 

**MPP-363** 

#### TRADITIONAL PRIMER COATED DOORS







MPP-3102 8★



MPP-3103 9★



MPP-3104 9★



MPP-3105 10★



MPP-3106 9★



MPP-3107 9★



MPP-3108 7★















MPP-PD3201 7★


MPP-PD3202 / ×


MPP-PD3203 7★

MPP-PD3204 7★











MPP-PD3205 7★


MPP-PD3206 7★


MPP-PD3207 7★

MPP-PD3208 7★









MPP-PD3210 7★

MPP-PD3211 7★

MPP-PD3212 7★



## Membrane Doors

These doors are made of Designed Solid Flush doors and HDF Moulded Doors overlaid with Imported Rigid PVC Membrane Film of different elegant shades. Being economical, they also add a finer touch to the home decor.

These doors are easy to maintain as they do not require Polishing, Painting or Varnishing. These doors are available in a wider variety of wooden finish. Special Care has to be taken to Membrane doors and should not be exposed to sunlight.

Technical Specification:-

Standard Length: 78", 81" (Max – 96")

Standard Width: 26", 30", 32", 36", 38" (Max - 48")

Standard Thickness: 30mm

Finish: Prefinished























**MPM-4238** 







MPM-4270

MPM-4258 MPM-4261 MPM-4267 N











MPM-4272

MPM-4274

MPM-4281

## MEMBRANE SHADES









F - 1

F - 2

F - 3

F - 4







F - 5

F - 6

F - 7









F - 8

F - 9

F-11 F-12





## **DOORS**

House of Doors special doors offer customized solutions in accordance with the specific needs of the client and the project. This type of door is often associated with different projects when the architecture firm wants to design original doors, or when the doors need to match with all other design elements. House of Doors manufactures customized doors which cater to different industries such as Educational Institutions, Hospitals, and Commercial Offices etc. Along with these doors we also have special doors like sliding doors, French Doors, Glazed Doors and Hospital Doors.











4 panel Skin Door



**Oval TX Skin Door** 



6 panel Skin Door



**Harmony** 

Moulded Panel Doors are made of HDF door skins which add beauty and value to your home. Panel doors are manufactured to the highest standards and warrant them to perform over time. All materialswood, fibreglass, steel or composite is engineered for lasting durability and reliable performance which translates into extra security, extra longevity and extra home owner satisfaction.

Moulded Panel Doors are best used for Bedroom, Bathroom and Other External Doors. These doors are primed and can be directly painted or polished according to customer's preference.


#### **Technical Specification:-**

Standard Length: 78", 81" Standard Width: 26",30", 32", 36", 38" Standard Thickness: 32mm

Finish: Primed Surface (Requires Paint)









House Of Doors range of Flush Doors are kiln seasoned & chemically treated to make them dimensionally stable termite resistant, fungi free & weather proof. These doors have a solid block board wood filling usually with Pine or Meranti wood with cross bands (core) & face veneers which are PF bonded pressed in hot press with high temperature & pressure making them boiling water proof & stable.

High quality wooden flush doors are therefore in great demand among discerning architects, builders and contractors.

These same flush doors are used in making our laminated doors, primer coated doors, veneered doors and membrane doors.

Technical Specification:-

Standard Length: 78", 81" (Max – 96")

Standard Width: 26", 30", 32", 36", 38" (Max – 48")

Standard Thickness: 30mm (Thickness can be customized for Bulk Quantity)

Finish: Raw (Can be Painted, Veneered or Laminated)





IN ASSOCIATION WITH HORMANN

House of Doors is also dealing with steel doors in association with Hormann Doors for residential as well as commercial purpose. Shakti Hormann has been pioneers in India for Metal Doors and is well known for its range of fire rated doors. With more than 25 years of experience in Indian market with well-established sales network we have been catering to various customers.

#### **Types of Finishes:-**

**GW SERIES** GRAINTEK<sup>™</sup> WOOD STAINED



**GP SERIES**  $\mathsf{GRAINTEK}^\mathsf{TM}\,\mathsf{POWDER}\,\mathsf{COATED}$ 



**PC SERIES** POWDER COATED



#### STANDARD WALL OPENING SIZES

Application	Entrance	Bedroom	Bathroom	Balcony
Leaf Type	Single	Single	Single	Single
Dimensions in (mm)				
Wall opening sizes (width x height)				
1000 x 2100	•	•	-	_
1000 x 2200	•	•	_	_
1000 x 2400	•	•	-	-
1050x 2100	•	_	_	_
1050x 2200	•	_	_	_
1050x 2400	•	-	-	_
1200x 2100	•	_	-	_
1200x 2200	•	-	_	_
1200x 2400	•	_	-	-
900x 2100	_	•	_	•
900x 2200	-	•	_	•
900x 2400	-	•	-	•
750x 2100	_	_	•	_
750x 2200	_	_	•	_
750x 2400	_	_	•	_





#### **IN ASSOCIATION WITH**

## HORMANN

#### **GW SERIES**



#### **Shades**





NATURAL TEAK


EAK MODERN WALNUT





MOORISH TEAK

#### **Shades**




#### **GP SERIES**





## HORMANN



Applications: Main Entrance Door

Bedroom Door

Material: Frame/Shutter: Grooved Frame Profile: GRAINTEK™ Steel 1.2 / 0.8 mm 125 x 55 mm with seal


Locking:

Mortise sash lock with cylinder and lever handle

Size:

750 x 2100 mm 900 x 2100 mm 1000 x 2100 mm 1200 x 2100 mm

Finishes: GRAINTEK™ with primer



Applications: Main Entrance Door Bedroom Door Bathroom Door

Material: Frame/Shutter: Frame Profile:

GRAINTEK™ Steel 1.2 / 0.6 mm 125 x 55 mm Shutter Thickness: 46 mm

Locking:

Tower Bolt, Pull Handle,

Aldrop

750 x 2100 mm 900 x 2100 mm 1000 x 2100 mm 1200 x 2100 mm Size:

Finishes: GRAINTEK™ with primer



WPC is the acronym for Wood Polymer Composite it is the new age product which combines the properties of wood and virgin or recycled plastic offering a highly durable material. Builders, Architects, furniture manufacturers and others are adapting this unique material across India and Globe very quickly.

WPC does wonders in finding solutions to various problems that come across while using natural wood. A very true form of WPC profiles are water-proof, anti-corrosion, anti-termite, weather proof, anti-sun crack. WPC products are highly durable and are very low maintenance product and have advantages over wood, PVC, UPVC, Aluminum and other heavy metals which are prone to weather deterioration.















**WPC - 09** 

**WPC - 10** 

**WPC - 11** 

**WPC - 12** 

#### WPC UV COATED DOORS







**WPC - 401** 



**WPC - 508** 



**WPC - 504** 

Thickness: 30mm Door size available for UV Printed Doors

78"x27" 81"x33" 81"x27" 84"x33" 84"x27" 96"x33" 81"x30" 84"x36" 84"x30" 84"x39"

Thickness: 30mm Door size available for Ivory Doors


75"x27" 81"x30" 81"x38" 78"x27" 96"x30" 84"x42" 81"x27" 81"x32" 96"x48" 84"x27" 81"x36" 84"x36" 96"x27" 96"x36" 78"x30"


Thickness: 25mm Door size available for Ivory Doors


78"x27" 81"x27" 81"x30"












#### **WPC Frame Installation Guide**

- During the Brick Work / Mason Work:-Protrusions with L-Clamps are the traditional way of fixing the door frames in India. There are 2 additional protrusions on the sides of the door which are metal L-clamps screwed to the side of the wooden doors.
- After the Brick Work / Mason Work:-Frames can be installed after the brick work using Anchor Bolts or Screws. The Gap is then filled with bonding foam.





#### **WPC Door Installation Guide**

- •WPC Doors must not be exposed to sunlight. These doors are best used internally.
- Do not hammer the screws, fit screws using a screwdriver.
- Dip the screw in a aldite before fixing.
- Use Screw of length more than 1.5" for fixing Hinges.
- •Painting can be done on WPC doors.

#### Is WPC more expensive than Wood? - NOT in long time!

- The initial price of WPC might be higher than the wood but in long term it's cheaper, because the maintenance costs are very low, in fact negligible and what's important is It's very durable.
- •The investment on the WPC profiles proves to be cheaper than natural wood in 2 years.























They are made of pure solid wood and timber which makes them stand out in terms of the quality. A Finger joint board is nothing but a combination of rectangular woods that are glued together and are engineered to give a smooth and extraordinary finish. The greatest advantage of a finger joint wood is that you don't have to use external materials such as laminate or veneer. These are used in making of Furniture, Doors, Kitchen Cabinets, Wardrobes and much more. Apart from that, you can also use them in building works like ceiling, Flooring, Wall Panelling and in making of the staircases.

Types of fingerjoint boards are:- Teak, pine, Rubberwood, ash, oak, beech, walnut, wenge

# 100% Neem Plywood & Pine Block Board



Neem wood is now becoming a popular option for furniture manufacturers. The advantage of using this is that it is a strong wood making it durable and giving your furniture a long life. Secondly, due to the pest repelling aromatic properties of the wood; it is termite free and you would never have to be concerned about pests if your furniture is made out of neem wood; making it the best option for cabinets and cupboards to store clothes.

Neem Plywood is manufactured by us in Bangalore from 1992! and been a trading house for majority OEM Segments, Interior decorators, Architects and other Customers.

Plywood by House Of doors brand is made with 100% Neem wood and therefore has highest durability compared to any other plywood in market. And therefore we proudly provide 15 Years of warranty for our neem plywood against termite and borer.

Our Plywood is chemically treated and made with 100% seasoned wood, so it provides 100% termite and borer free. Plywood is used in various applications such as Furniture, Wall Panelling, Partitions, Ceilings and Decorations etc...

Various thicknesses available with us are 18 mm, 16 mm, 12 mm, 9 mm and 6 mm.

#### Pine Block Boards - A Product of House of Doors

House of Doors also manufactures Pine Block Boards. The core of these block boards is made from solid blocks of Pinewood. (These blocks are rectangular elongated blocks/strips obtained from a softwood tree). All these small blocks are of almost the same size, and are arranged end to end to form the entire block board core. Then as in the case of plywood, a top and bottom veneer (layer of wooden ply) is bonded/glued over these blocks to form the faces/surfaces. These Pine boards also come in two grades such as MR grade and BWR grade.













House of doors ventured into UPVC windows and doors industry as there is an increasing demand by the existing clients to provide one stop solution for all the types of doors and windows needs. We are now associated with the world leading Imported and Indian uPVC profile manufacturers of European Standard and are equipped with Fully Automated cutting-edge machinery for Fabrication Our end-to-end solutions start right from Survey & Design to Fabrication to Delivery & Installation to HandOver.

### **Features**



## **Types**

#### 1. UPVC Sliding windows / Doors

UPVC Sliding windows are fitted with nylon rollers in the bottom which runs on aluminium strip on the frame. The Horizontal sash movement ensures better ventilation. Varieties of sliding options to choose from are 2/2.5/3 tracks for various different purposes.







2 Track 2.5 Track 3 Track





#### 2. Casement Windows / Doors.

Casement windows with their unobstructed opening, offer an attractive view to the outside world. The windows come with a sash that is connected to the outer frame by means of hinges, perfect for maximum air circulation. It comes with high quality hardware that doesn't rust or corrode. We also have the option of Top Hung, Fixed Window, and Casement Doors.







**Casement Doors** 



**Top Hung Window** 



**Fixed Window** 

#### 3. Ventilator

Ventilators provide effective ventilation for a home, contributing to a healthy living environment. These types of Ventilators are mainly used in Bathrooms, kitchens, store rooms and others. These windows can be a combination of fixed glass, exhaust fan or Glass louvers.



**Ventilator** 



#### 4. Combination Windows

uPVC Combination windows is integration of casement, sliding and fixed window. These can be designed as per your need and size requirement. The advantage with these types of windows is that your chosen styles can be combined together and built into one.

combination-door






#### 1. Colours



### 2. Glass Options



A. Clear Glass



**C.** Reflective Glass( Blue/Grey)

**B. Designer Glass** 



D. Toughened Glass

## **INSTRUCTIONS**





### **Warranty:**

- All our Door products hold a warranty for THREE years and can only be claimed with the bill. Warranty can be claimed for manufacturing defects only.
- For Solid Wooden Doors, No Warranty against natural effects like sun crack, weather effect and door shrinkage.

### Storage Instructions:

• Doors must be horizontally stacked on flat Surface in cool and dry place on 3 Level bearers to minimize

the risk of distortion.

- Doors must not be exposed to sunlight.
- Check the doors for defects and damage immediately upon receipt.
- Proper care must be taken while lifting the doors to other floors.
- Do not keep heavy or Sharp objects on the doors.

### Installation & fixing instructions:

- The Door Frame has to be fixed in 90 degree Angle.
- Do not trim more than 1"(25mm) on all the sides of Doors.
- Do Not Hammer the screws, fit screws using a Screwdriver.
- Lipping of teak or hardwood on all the four sides has to be done compulsorily to prevent moisture absorption, wear & tear of the Door, by doing this the life of the door increases.
- The applied warranty will become invalid if this instruction is not followed.
- Do not cut the door for fixing glass, instead please do Purchase ready glass door available with the same brand.
- $\frac{1}{2}$ " (12 mm) gap has to be maintained between bottom of the door & flooring (door frame), for bath room door.

For the Product Originality
Please check our
Hologram





Mktd & Mftd by MP PATEL & CO.

Bengaluru

