RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

PLAIN PUNCH

7010



PLAIN FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

PLAIN PUNCH

7018



PLAIN FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

PLAIN PUNCH

7039



PLAIN FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7101

7102



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7104

7105



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7108



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7116



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7117



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7119

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH



7120

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7123

7124

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7125

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P2 PUNCH

7126



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P3 PUNCH

7154

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P3 PUNCH

7156



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P4 PUNCH



7184



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P9 PUNCH

7301

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P11 PUNCH

7356



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS



P12 PUNCH

7386

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P13 PUNCH

7401



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P14 PUNCH

7426

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P14 PUNCH

7428

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P14 PUNCH

7431



PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

P14 PUNCH

7432

PUNCH FINISH

RAMCO VITRIFIED TILES

400X400 MM | HEAVY DUTY VITRIFIED PARKING TILES | 12 MM THICKNESS

400X400 MM | HEAVY DUTY VITRIFIED FLOOR TILES | 12 MM THICKNESS

Technical Specification

S.No.	Property	Group Bla-ISO 13006 Annx.G.	Our Value	Test According to
1	Deviation in length	+ 0.6%	± 0.1 %	ISO-10545-2
2	Deviation in thickness	± 5%	± 4 %	ISO-10545-2
3	Straightness of sides	± 0.5%	± 0.1 %	ISO-10545-2
4	Rectangularity	± 0.6%	± 0.1 %	ISO-10545-2
5	Surface Flatness	± 0.5%	± 0.15%	ISO-10545-2
6	Surface quality (%)	A minimum of 95% of the tiles shall be would impair the appearance of a major area of tile.	98% free from visible defects	ISO-10545-2
7	Modulus of repture	>35 N/mm^3	>40 N/mm^3	ISO-10545-4
8	Breaking strength	>1300 N	>2000 N	ISO-10545-4
9	Water absorption	< 0.5%	< 0.08%	ISO-10545-3
10	Stain resistance	Stain Proof	Stain Proof	ISO-10545-14
11	Chemical resistance	No damage	No damage	ISO-10545-13
12	Thermal expansion	< 9x10^{-6}	< 6x10^{-6}	ISO-10545-8
13	Moisture expansion	Nil	Nil	ISO-10545-10
14	Thermal shock resistance	No damage	No damage	ISO-10545-9
15	Resistance to surface abrasion	manufacturer to state abrasion class	PEI class 3-5	ISO-10545-7

Packing Details

Size	Thickness (Approx)	No. of Tiles Per Box	Area (Approx)	Weight (Approx)
400x400mm	12mm	5 Pcs.	0.8 Sq.m/Box	20.0 Kg