

MARBLE  
PANELS  
— 3 MM —



M/s INNOVATIVE PRODUCTS

Web.: [www.meraki-pvc.com](http://www.meraki-pvc.com)  
Email: [info@meraki-pvc.com](mailto:info@meraki-pvc.com)




CUSTOMER CARE NUMBER  
**+91 9812 067 883**

follow us on:



WhatsApp Virtual Assistant



Scan this QR to start a WhatsApp chat with MERAKI LAMINATES

#SUNSHINE\_8072094483\_8811034493





## INDUSTRY LEADER

MERAKI, the name itself speaks about creativity and innovation from soul. Started in 2015, MERAKI is now the INDUSTRY LEADER and the Biggest Indian Manufacturer of PVC LAMINATE Sheets with a standard thickness of 1.2 mm and PVC Marble Panels with a standard thickness of 3.0 mm, with a huge production capacity, known for the Quality and Service of our products Pan-India. A most trusted brand and an International Standard by which all Interior Companies define themselves. The beauty of Home Interiors, Corporate Offices, Lounge and other interiors are sound enough with our PVC LAMINATE Sheets.

Keeping in mind the health of your loved ones, MERAKI provides you with the Anti-Bacterial and Lead-Free laminates to keep your family and loved ones free from health issues.

As one of the leading Manufacturer, Exporters and Suppliers of PVC Laminate Sheets, We facilitate huge variety of the same for our clients to choose from. In order to meet the enormous demand for our product, We bring to use a highly-efficient manufacturing unit, where our employees carry out the manufacturing process in the most efficient manner. We cater to bulk order from clients in all parts of the world. We also make arrangements for fulfilling the individual specifications mentioned by the clients, if any. With the help of our efficient work-force and highly technical German machine, We are able to serve our clients with best of our output.

It has been an excellent experience dealing with satisfied and happy Architects and Customers all over the India. We promise to build up the same spirit of Quality and Quantity of our Durable Products among our customers for lifetime.


MERAKI by M/s Innovative Products is a widely sought-after name amongst manufacturers of PVC Products. We have been operational from Sonipat, Haryana, since 2015.



**CREATIONS  
THAT INSPIRE  
ART**

TRENDY

SOBER



SCAN TO EXPLORE



SCAN TO EXPLORE  
OUR MASTER COLLECTION




MARBLE  
Collection




MRK - 3501



MRK - 3502A



MRK - 3513



MRK - 3514







MARBLE  
*Collection*




MRK - 3515



MRK - 3516



MRK - 3509



MRK - 3510






# MARBLE *Collection*



MRK - 3511



MRK - 3522



MRK - 3521



MRK - 3523





*The*  
**VISTA**  
*of Charm*


\*We recommend to put glass over the laminates if used on a table top.



# MARBLE Collection




MRK - 3524



MRK - 3503



MRK - 3527




MRK - 3508







# MARBLE Collection



MRK - 3528



MRK - 8004-3



MRK - 3529



An  
**EQUISITE**  
appearance



## TECHNICAL SPECIFICATION

**THICKNESS** : 3.0 mm (±5%)

**STANDARD SHEET SIZE** : 8'x4' (±2%)

**CUTTING & INSTALLATION** : These PVC Panels can be cut, routed and drilled, with standard wood working tools or equipments (MERAKI recommends the use of only diamond cutter blade to cut the sheet). All blades must be sharp to remove any burrs that may occur in the cutting process. We recommend the use of a smooth file to feather all corner edges. In case of using hand cutters, The company is not liable for any complaints of de-lamination and other complaints.

**BENDING AND FORMING** : For bending the panels make use of 4"X8mmX6 Tee MERAKI Radius U-Groove Blade. The groove should be of depth 0.6mm to 0.8mm & width 5mm or more. The routed panel will easily bend upto 90 degree.

**MAINTENANCE** : Any cleaning agent containing acids, alkalis or abrasive should not be used to clean the panel, exposure to sunlight should be avoided.

**NOTE** : Meraki warrants that all its products are free from manufacturing defects and perfectly ideal for use in normal conditions. In case of any claim, the liability of the company is only limited to the cost of the product only. Meraki is not liable for the color variations from batch to batch production. The sample swatches here only represent the designs, colors and finishes. They do not represent the actual thickness.

Kindly remove the protective film after 7 days of installation of PVC Panels.



**U-GROOVE  
RADIUS CUTTER**



**DIAMOND CUTTER**



**HAND CUTTER**

Recommended to use for bending of laminate sheet.  
Recommended to use for cutting of laminate sheet.