





A TGA Accredited German Certification Body (TGA-ZM-02-06)

















REBECCA LAMINATESMfg.: DECORATIVE LAMINATE SHEETS

8-A, National Highway, Morbi-Kandla Highway, At. Bahadurgadh, Morbi-363 642. Dist.Morbi, (Guj.) INDIA.

Cell: +91 97129 62848

E-mail : info@rebeccalaminates.com Web : www.rebeccalaminates.com















1 MM
GUARANTEED THICKNESS



O3
ZERO REFLECTION TEXTURE





24 TEXTURE



41 STONE & MARBLE



237 DESIGN



About Us:

To become the world's premier laminates manufacturer. A great product on the market is always the consequence of quality concerns and distinctive choices.

By adding a touch of beauty to your surfaces, Renovva Laminates is glad to help you breathe fresh life into your surroundings. With a vision of dazzling clients with quality, creativity, and committed services, Renovva Laminates is ready to set the new benchmark of beauty in the High-Pressure Laminate Industry.

Renovva Laminates delivers the assurance of ultimate quality and meticulousness in their products created using the most advanced technologies at a state-of-the-art setup, with an enviable portfolio planned to meet diverse uses.


Renovva Laminates has the most diverse range of representations, according to the highest manufacturing standards and strict quality procedures






Design is more than just how something appears and feels. The way it works is through design.









STATUARIO

8073-ZS

MARQUINA

Special Carrierates FOR SPECIFIL NEEDS www.rebeccalaminates.com | info@rebeccalaminates.com



CHOCO MARBLE




8069-ZS BEIGE MARBLE





The Joy OF ADDRNING BEST







8072-ZS EMPERADOR



8068-ZS MACEDONIAN









8067-ZM STATUARIO






8063-ZF VALENCIA GOLD LINE

8062-ZF VALENCIA SILVER LINE

Spruce up your Civing ENVIRONMENT







8064-ZF





8066-ZF

Exceptional Ornamental DUTLOOK


www.rebeccalaminates.com | info@rebeccalaminates.com






These gorgeous laminates with significant impressions will dramatically improve the appearance of your space.





205-PU WARM WHITE

225-PU METAL GREY



222-PU SPANISH GREY



7907-PU TIAMA

STERCULIA

7704-PU


Variety That Catches THE EYES

www.rebeccalaminates.com | info@rebeccalaminates.com




8071-CB **GREY PIETRA**

222-HG SPANISH GREY



205-HG WARM WHITE

MIDNIGHT TIMBER










8064-CB SEARED TEAK 8065-CB

MAKORE

8066-CB

Adding a New Option TO YOUR PLACE www.rebeccalaminates.com | info@rebeccalaminates.com



8064-SH

SEARED TEAK

Increase your appeal with traditional antique patterns that provide a spacious appearance in any setting.



222-SH SPANISH GREY

205-SH WARM WHITE




225-SH METAL GREY



8066-SH

MIDNIGHT TIMBER



Most opulent designs FOR EVERYONE


















8068-TG MACEDONIAN








EMPERADOR

MARQUINA

8073-TG

MIDNIGHT TIMBER

8072-TG







8065-TG MAKORE





8064-TG

Improve Coole of YOUR DECOR

www.rebeccalaminates.com | info@rebeccalaminates.com








8071-TG GREY PIETRA

Give your places an outstanding appearance with a premium assortment of textures and finishes that adorn the elegant look.







STATUARIO

Creat variety OF DECOR

www.rebeccalaminates.com | info@rebeccalaminates.com




BEIGE MARBLE




MACEDONIAN













8035-LV MYRA

Give your spaces a unique look with a quality selection of textures and finishes that complement the exquisite style.















8039-LV EMERALD

Outstanding and ELEGANTLOOK

www.rebeccalaminates.com | info@rebeccalaminates.com




8056-RSV PORITAN PINE




Give your commercial or residential space a classic touch to elevate and beautify it.














8059-RSV DOUSSIE

Originality protects YOURIMAGE

www.rebeccalaminates.com | info@rebeccalaminates.com








8052-H-RHV

DOUGLAS FIR







Unique patterns to complement your magnificent aesthetic style while enriching every nook of your area.










8064-H-RHV SEARED TEAK

Turn Any place BEAUTIFUL


www.rebeccalaminates.com | info@rebeccalaminates.com

Laminate your space to give it a more appealing and refined appearance.






8072-ZM **EMPERADOR**





8071-ZM **GREY PIETRA**




8073-ZM 222-ZM MARQUINA

• 1mm High Pressure Laminates • Genuine Imported Design Paper








METAL GREY



There are a number of options for the interiors of everything you need and desire to embellish your area.











8070-ZM

CHOCO MARBLE

Decor of your dream's THE EYES

www.rebeccalaminates.com | info@rebeccalaminates.com


























Offer your location a distinguished image with a classy outreach with a variety of ideas.









8037-RK MARFIL


8039-RK

EMERALD











MARFIL







8037-GL











0

PORITAN PINE

8056-RTN



The extensive collection of heart wavering surface leaving an everlasting charisma.











7704-RTN STERCULIA




8052-RTN DOUGLAS FIR

Outstanding and ELEGANTLOOK

www.rebeccalaminates.com | info@rebeccalaminates.com










The extensive touch and feel offered by surfaces last an unforgettable love for life








8063-RTN


CAIMITO

VALENCIA GOLD LINE

7540-RTN







205-VS WARM WHITE





7907-VS


7541-VS

TIAMA

BUTTERNUT

Turn Any place BEAUTIFUL

www.rebeccalaminates.com | info@rebeccalaminates.com



8010-ER







VALLEY BROW

Escalate the vibes of your space with a radiance of an elite range of laminates.








MELODY ROUGHCUT

8008-RSO

BRADOW










elegant lifestyle







TE

SUMBALA SUMBALA


205-ST WARM WHITE

• 1mm High Pressure Laminates • Genuine Imported Design Paper

49











WARM WHITE





7038-AC

BROWN CARMEL

7037-AC

205-LK











VALLEY CREAMA


8009-MT

Raise the perceived value of your area in the eyes of everyone by showcasing never-before-seen gorgeous laminates














8022-H-MT MELODY ROUGHCUT

Turn Any place BEAUTIFUL

www.rebeccalaminates.com | info@rebeccalaminates.com





105-MT-CORE WARM WHITE




148-MT-CORE SCARLET RED




101-MT-CORE **COOL WHITE**



155-MT-CORE MAHOGANY








155-HG-CORE MAHOGANY





These gorgeous laminate collections are made of high-quality materials in brilliant colours that are both welcoming and always fashionable.




















7903-HG LIMBALI














₩₩ | 8071-TG GREY PIETRA

















7030-HG CREAM CIRCAL















variety of interior design solution for whatever you need and want to decorate your space.
















8052-HG DOUGLAS FIR



8056-H-HG PORITAN PINE






8036-HG

Fantastic collection of varieties of laminates for your place that will give it a wonderful appearance.





8038-HG LEVANTE




8037-HG MARFIL



8039-HG EMERALD





















VALENCIA GOLD LINE

8063-SF






8062-SF VALENCIA SILVER LINE

ALLOVER LARCH


8005-SF



















DOUGLAS FIR









8044-SF








PREESTO

8007-SF






BURANO

BEIGE CARMEL

Exceptional appearance and PROTECTION www.rebeccalaminates.com | info@rebeccalaminates.com







8018-SF











HINDS OAK

7005-SF




• 1mm High Pressure Laminates • Genuine Imported Design Paper

VERDANT VINE

Aesthetically pleasing DESIGN

www.rebeccalaminates.com | info@rebeccalaminates.com









8022-SF





COCONUT ROUGHCUT







8058-SF KEROEWING








8051-SF SUMBALA

● 1mm High Pressure Laminates ● Genuine Imported Design Paper

MELODY ROUGHCUT

Single glance that SPARKLES


www.rebeccalaminates.com | info@rebeccalaminates.com












7031-SF




7032-SF

BROWN CIRCAL



PINK CIRCAL





The vibrant collections are full of high-quality looks that provide a sense of class to any area.





201-SF COOL WHITE



214-SF FOSIL IVORY

201-MT

205-MT

224-SF BABY BLUE

234-SF PRUSSIAN BLUE



240-SF PEARL YELLOW



COOL WHITE


WARM WHITE

226-SF ASH GREY

258-SF MINT GREEN

220-SF CANARY YELLOW 246-SF WEB ORANGE








252-SF SALMON PINK



254-SF PUNCH PINK



280-SF CARBON BLACK



255-SF MAHOGANY



230-SF SAPPHIRE BLUE


228-SF INDIGO BLUE

256-SF PARAKEET GREEN





250-SF CANDY RED



248-SF SCARLET RED



222-SF SPANISH GREY



225-SF METAL GREY



238-SF COFFEE BROWN





INDEX

| Sr. No | Desing No. | Finish | Pg. No. |
|-----------|------------|----------|------------|
| 01 | 101 | MT-CORE | 55 |
| 02 | 101 | HG-CORE | 55 |
| 03 | 105 | MT-CORE | 55 |
| 04 05 | 105 146 | HG-CORE | 55 55 |
| 06 | 148 | MT-CORE | 55 |
| 07 | 148 | HG-CORE | 55 |
| 08 | 154 | HG-CORE | 55 |
| 09 | 155 | MT-CORE | 55 |
| 10 | 155 | HG-CORE | 55 |
| 11 | 180 | HG-CORE | 55 |
| 12 13 | 201 201 | HG MT | 56 |
| 14 | 201 | SF | 76 76 |
| 15 | 205 | PU | 12 |
| 16 | 205 | HG | 13 |
| 17 | 205 | SH | 16 |
| 18 | 205 | RSV | 30 |
| 19 | 205 | HG | 42 |
| 20 | 205 | VS | 45 |
| 21 | 205 | ST | 50 |
| 22 | 205 205 | LK HG | 51 56 |
| 23 | 205 | SF | 76 |
| 25 | 205 | MT | 76 |
| 26 | 214 | HG | 56 |
| 27 | 214 | SF | 76 |
| 28 | 220 | SF | 76 |
| 29 | 222 | PU | 12 |
| 30 | 222 | HG | 13 |
| 31 | 222 | SH | 16 |
| 32 33 | 222 | ZM HG | 34 56 |
| 34 | 222 | SF | 76 |
| 35 | 224 | SF | 76 |
| 36 | 225 | PU | 12 |
| 37 | 225 | SH | 16 |
| 38 | 225 | ZM | 35 |
| 39 | 225 | HG | 56 |
| 40 | 225 | SF | 76 |
| 41 | 226 | HG | 56 |
| 42 43 | 226 228 | SF SF | 76 76 |
| 44 | 230 | SF | 76 |
| 45 | 231 | HG | 56 |
| 46 | 231 | SF | 76 |
| 47 | 234 | SF | 76 |
| 48 | 238 | HG | 56 |
| 49 | 238 | SF | 76 |
| 50 | 240 | HG | 56 |
| 51 52 | 240 242 | SF SF | 76 76 |
| 53 | 246 | HG | 56 |
| 54 | 246 | SF | 76 |
| 55 | 248 | HG | 56 |
| 56 | 248 | SF | 76 |
| 57 | 250 | HG | 56 |
| 58 | 250 | SF | 76 |
| 59 60 | 252 254 | SF | 76 56 |
| 61 | 254 254 | HG SF | 56 76 |
| 62 | 255 | HG | 56 |
| 63 | 255 | SF | 76 |
| 64 | 256 | HG | 56 |
| 65 | 256 | SF | 76 |
| 66 | 258 | HG | 56 |
| 67 | 258 | SF | 76 |
| 68 69 | 260 | SF HG | 76 56 |
| 70 | 280 280 | HG HG | 56 59 |
| 71 | 280 | SF | 76 |
| 72 | 7005 | SF | 72 |
| 73 | 7023 | SF | 71 |
| 74 | 7028 | LK | 51 |
| 75 | 7028 | SF | 66 |
| 76 | 7030 | SR | 49 |
| 77 | 7030 | HG | 61 |
| 78 79 | 7030 | SF | 75 61 |
| 13 | 7031 | HG | 61 |

| Sr. No | Desing No. | Finish | Pg. No. |
|------------|--------------|-------------|------------|
| 80 | 7031 | SF | 75 |
| 81 | 7032 | SR | 49 |
| 82 | 7032 | HG | 61 |
| 83 84 | 7032 7037 | SF AC | 75 52 |
| 85 | 7037 | SF | 70 |
| 86 | 7038 | AC | 52 |
| 87 | 7038 | SF | 70 |
| 88 | 7540 | RTN | 43 |
| 89 90 | 7540 7540 | HG SF | 59 73 |
| 91 | 7541 | VS | 46 |
| 92 | 7541 | HG | 57 |
| 93 | 7541 | SF | 65 |
| 94 | 7701 | RK | 37 |
| 95 96 | 7702 7703 | RK PU | 37 11 |
| 97 | 7703 | RTN | 42 |
| 98 | 7703 | HG | 62 |
| 99 | 7703 | SF | 67 |
| 100 | 7704 | PU | 11 |
| 101 | 7704 7704 | RTN HG | 42 62 |
| 102 | 7704 | SF | 62 72 |
| 104 | 7901 | RTN | 41 |
| 105 | 7901 | HG | 57 |
| 106 | 7903 | HG | 57 |
| 107 | 7905 | VS | 45 |
| 108 | 7905 7907 | HG PU | 58 12 |
| 110 | 7907 | VS | 46 |
| 111 | 7907 | HG | 58 |
| 112 | 8005 | SF | 65 |
| 113 114 | 8007 8008 | SF RSO | 70 48 |
| 115 | 8008 | SF | 48 70 |
| 116 | 8009 | ER | 47 |
| 117 | 8009 | MT | 53 |
| 118 | 8009 | SF | 68 |
| 119 | 8010 | ER MT | 47 53 |
| 120 121 | 8010 8010 | MT SF | 53 68 |
| 122 | 8011 | MT | 53 |
| 123 | 8011 | SF | 73 |
| 124 | 8013 | SF | 72 |
| 125 126 | 8016 8016 | LK H-MT | 51 54 |
| 126 | 8016 | H-M I SF | 69 |
| 128 | 8017 | ER | 47 |
| 129 | 8017 | SF | 71 |
| 130 | 8018 | SF | 71 |
| 131 | 8022 | LV | 27 |
| 132 133 | 8022 8022 | SK H-MT | 48 54 |
| 134 | 8022 | SF | 73 |
| 135 | 8023 | H-MT | 54 |
| 136 | 8023 | SF | 73 |
| 137 | 8024 | SF | 69 |
| 138 139 | 8028 8029 | SF HG | 71 58 |
| 140 | 8029 | SF | 72 |
| 141 | 8035 | LV | 27 |
| 412 | 8035 | GL | 40 |
| 413 | 8035 | HG | 63 |
| 144 | 8036 8036 | LV GL | 27 40 |
| 146 | 8036 | HG | 63 |
| 147 | 8037 | LV | 28 |
| 148 | 8037 | RK | 38 |
| 149 | 8037 | GL | 39 |
| 150 151 | 8037 | HG LV | 64 |
| 151 | 8038 8038 | LV RK | 28 38 |
| 153 | 8038 | GL | 39 |
| 154 | 8038 | HG | 64 |
| 155 | 8039 | LV | 28 |
| 156 157 | 8039 | RK | 38 |
| 158 | 8039 8039 | GL HG | 39 64 |
| | 5555 | .10 | 07 |

| Sr. | | | Pg. |
|------------|--------------|-------------|----------|
| No | Desing No. | Finish | No. |
| 159 | 8044 | SF | 69 |
| 160 161 | 8051 8051 | ST SF | 50 74 |
| 162 | 8052 | H-RHV | 31 |
| 163 | 8052 | RTN | 42 |
| 164 | 8052 | HG | 62 |
| 165 166 | 8052 8053 | SF RSV | 68 30 |
| 167 | 8053 | RTN | 43 |
| 168 | 8053 | HG | 62 |
| 169 | 8053 | SF | 68 |
| 170 | 8056 | RSV | 29 |
| 171 172 | 8056 8056 | RTN H-HG | 41 63 |
| 173 | 8056 | SF | 65 |
| 174 | 8057 | SF | 67 |
| 175 | 8058 | SF | 74 |
| 176 | 8059 | RSV | 30 |
| 177 178 | 8059 8059 | RTN HG | 43 61 |
| 179 | 8059 | SF | 65 |
| 180 | 8060 | RSV | 30 |
| 181 | 8060 | HG | 61 |
| 182 | 8060 | SF | 74 |
| 183 | 8061 | RSV | 29 |
| 184 185 | 8061 8061 | RTN SF | 41 74 |
| 186 | 8062 | ZF | 08 |
| 187 | 8062 | TG | 18 |
| 188 | 8062 | RTN | 44 |
| 189 | 8062 | SF | 66 |
| 190 191 | 8063 8063 | ZF TG | 08 18 |
| 192 | 8063 | RTN | 44 |
| 193 | 8063 | SF | 66 |
| 194 | 8064 | ZF | 09 |
| 195 | 8064 | СВ | 14 |
| 196 197 | 8064 8064 | SH TG | 15 21 |
| 198 | 8064 | H-RHV | 32 |
| 199 | 8064 | SF | 67 |
| 200 | 8065 | ZF | 07 |
| 201 | 8065 | СВ | 14 |
| 202 | 8065 8065 | TG H-RHV | 21 32 |
| 204 | 8065 | SF | 67 |
| 205 | 8066 | ZF | 09 |
| 206 | 8066 | СВ | 13 |
| 207 | 8066 | SH | 16 |
| 208 | 8066 8066 | TG H-RHV | 20 31 |
| 210 | 8066 | SF | 66 |
| 211 | 8067 | ZS | 02 |
| 212 | 8067 | ZM | 07 |
| 213 214 | 8067 | ZM | 20 |
| 215 | 8067 8067 | TG ZM | 24 36 |
| 216 | 8067 | ZM | 37 |
| 217 | 8068 | ZS | 06 |
| 218 | 8068 | TG | 20 |
| 219 | 8068 | TG | 25 |
| 220 | 8068 8069 | ZM ZS | 35 03 |
| 222 | 8069 | TG | 25 |
| 223 | 8069 | ZM | 35 |
| 224 | 8070 | ZS | 03 |
| 225 | 8070 | TG | 23 |
| 226 | 8070 8071 | ZM ZS | 36 01 |
| 228 | 8071 | CB | 13 |
| 229 | 8071 | TG | 23 |
| 230 | 8071 | ZM | 33 |
| 231 | 8071 | ZM | 37 |
| 231 | 8071 | TG 7S | 59 |
| 232 | 8072 8072 | ZS TG | 06 19 |
| 234 | 8072 | ZM | 33 |
| 235 | 8073 | ZS | 02 |
| 236 | 8073 | TG | 19 |
| 237 | 8073 | ZM | 34 |

8073


ZM

34





| PROPERTIES | SPECIFIED VALUES AS PER IS:2046-1995, TYPE S, HGS | RENOVVA CONFIRM |
|---|--|--------------------|
| Thickness | 1mm (±10%) | \checkmark |
| Resistance to Surface Wear | 350 (Revolutions) | ✓ |
| Resistance to immersion in boiling water -Mass increase(%) -Thickness increase (%) | 10.0 (Maximum) 11.8 (Maximum) | √ |
| Resistance to dry heat 180° c | Not worse than 4 | |
| Dimensional stability at Deviated Temperature -Longitudinal(%) -Transverse (%) | 0.5 (Maximum) 0.9 (Maximum) | √ |
| Dimensional stability at 20° c -Longitudinal[%] -Transverse [%] | 0.375 (Maximum) 0.60 (Maximum) | √ |
| Resistance to Impact By Small Diameter Ball | 20 N (Minimum) | \checkmark |
| Resistance to cracking | Not worse than 4 | ✓ |
| Resistance to scratching | 2 N (Minimum) | ✓ |
| Resistance to staining | Not worse than 5 | |
| Resistance to colour change (wood standards) - In xenon arc light - In enclosed carbon arc light | Not worse than 6 Not worse than 5 | √ |
| Resistance to cigarette burns | Not worse than 3 | ✓ |
| Resistance to steam | Not worse than 4 | ✓ |
| Appearance | Should be free from foreign particles | ✓ |



Ressistance: To surface wear immersion in boiling water, Dry Heat, Impact by small diameter ball, Cigarette burns, Staining Scratches, Color change in Xenin light.


Maintenance: Clean with soap solution or House detergent, Adhesive should not be used, Avoid direct sunlight.

Note:

-Please check the laminate sheet before use.-No claim will be entertained after using laminate sheet.

NO CLAIM WILL BE ENTERTAINED





to cut such corners.

angle or design.

NO CLAIM WILL BE ENTERTAINED

- For cracking arising our for groove currying Or L.Shape



or e

بد

GENERAL INFORMATION:

Product : High Pressure Decorative Laminated Sheets

Size : 2440mm x 1220mm (8x4 Ft .)
Thickness : 1mm (0ther Thickness Available

Thickness : 1mm (Other Thickness Available On Request)
Quality Standard : Design Base Paper Are Genuine Imported .

Use Of Best quality Kraft Paper .

Use Of 100% Melamine Resin And 100% Phenolic Resin.

Use Of Best Chemicals And Raw-Material For Better Flexibility & Durability .

Limited Warranty : Renovva Warrants That Its Products Are Reasonably Free From Manufacturing Defects . The Products When Properly Used , Will Comply , With

Normal Deviations, To Related Manufacturing Specification. It Excludes Damage resulting From Accidents, Abuse Or Lack Of Care, Improper Use, Or Alterations. We Recommend Doing A Proper Inspection Of The Product Before Installation And Our Liability Is Limited To The Extent Of The Cost Of The Product Only. Renovva Laminates Are Used For Various Applications, Without Possibility Of Control Over The Manufacturing Of The Finished Product. The Company Does Not Assume Obligations Or Liabilities Arising From The Furnishing, Sale, Installation Or Repair, Use Or Subsequent

Sale Of Any Product, To Any Person Or Entity.

Care & Maintenance : Cleaning Should Be Carried Out With A Soft Moist Cloth And Warm Solution. Do Not Use Detergents Containing abrasive Particles Or Excess Soda .

Note : 1. Samples Presented Are Indicative Of Colour , Pattern And Surface Finish But Not Of Actual Thickness .

2. Finishes Other Than Shown here Are Available On Request .

DIRECTION TO USE:

Before Using The Laminate, Ensure That The Surface Of Plywood And Laminate Is Clean, Dry, Leaved And Free Of Oils, Excess Moisture Or Other Contaminants, Such As Dust, Synthetic Particles, Et Cetra.

Always Stir The Adhesive Before Use . Sufficient Adhesive Must Be Applied On Either Or Both The Surfaces To Be Bonded . Do not Add Water To The Adhesive As It Makes The Bond Weak .

Once The Adhesive Applied If Tacky In Nature (Usually Requires 5-10 Minutes , Depending On The Atmospheric Conditions) , The Laminate Should Be Placed On The Surface , Accurately Aligned .

Apply Sufficient Bonding Pressure To Ensure Intimate Contact Necessary For An Adequate Bond Over The Entire Area Using As Much Pressure As Possible Without Damaging The Assembly . Pinch (Rotary Press) And Heavy Weighted Rollers Are Ideal . Hand Rolling Should Be Done From The Center To the Edges To Ensure The Removal Of All Air Bubbles . Roll The Edges Twice .

For Satisfactory Bonding , Keep The Area Under Pressure For 12-18 Hours (Depending On Atmospheric Conditions) . In Rainy Season Penzity Is Too High , Moisture May Condense On The Surface During Drying (Known As " Blushing ") And Will and . Hot Spray Or Forced Air Drying May Be Used To Help Prevent This Condition . Prevent

We Recommend Maximum Sheet Size Used For Vertical Field Application Be Limited To 610 x 2440mm (2 x 8 Ft). If Larger Panels Are Regres, cabricate Them In The Shop.

When Posting Date Vertically, Maintain Uniform Pressure On All Sides Until Adhesive Is Dried. Avoid Stress Cracking, Avoid Making Cur - Quis Having Sharp And Rough Edges.

Maintain A Gap Of 2mm Between Two Laminated While Pasting Side - By - Side .